Issuing Date 15-Dec-2014

Revision date 18-Feb-2022

## **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Product identifier Product Name

Consolideck® ColorHard Concrete Gray

Other means of identification Product Code(s)

Recommended use of the chemical and restrictions on useRecommended useRestricted to professional users.Uses advised againstNo information available

46475

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200 800-535-5053

## 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

#### **Classification**

Specific target organ toxicity (repeated exposure)

#### Label elements

Warning Hazard statements May cause damage to organs through prolonged or repeated exposure



Appearance grey

Physical state Liquid

#### **Precautionary Statements - Prevention** Do not breathe dust/fume/gas/mist/vapors/spray

**Precautionary Statements - Response** Get medical advice/attention if you feel unwell

#### **Precautionary Statements - Disposal**



Category 2

Odor Slight

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) Other information

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Weight-%	Trade Secret
Titanium dioxide	13463-67-7	15 - 40	*
Water	7732-18-5	15 - 40	*
Iron Oxide (black)	1317-61-9	15 - 40	*
Iron Oxide (yellow)	51274-00-1	5 - 10	*
Ethylene Glycol	107-21-1	1 - 5	*
Silicon Hydroxide	1343-98-2	1 - 5	*
Aluminum Hydroxide	21645-51-2	1 - 5	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### Description of first aid measures

General advice	If symptoms persist, call a physician.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Call a physician.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	May be harmful if swallowed. May cause irritation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

# **5. FIRE-FIGHTING MEASURES**

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Avoid contact with eyes and skin.	
Environmental precautions		
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	
7. HANDLING AND STORAGE		
	7. HANDLING AND STORAGE	
Precautions for safe handling	7. HANDLING AND STORAGE	
Precautions for safe handling Advice on safe handling	7. HANDLING AND STORAGE Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.	
_	Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.	
Advice on safe handling	Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7		(vacated) TWA: 10 mg/m <sup>3</sup> total	TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine
		dust	TWA: 0.3 mg/m <sup>3</sup> CIB 63 ultrafine,
			including engineered nanoscale
Ethylene Glycol	STEL: 50 ppm vapor fraction	(vacated) Ceiling: 50 ppm	
107-21-1	STEL: 10 mg/m <sup>3</sup> inhalable	(vacated) Ceiling: 125 mg/m <sup>3</sup>	
	particulate matter, aerosol only		
	TWA: 25 ppm vapor fraction		
Aluminum Hydroxide	TWA: 1 mg/m <sup>3</sup> respirable		
21645-51-2	particulate matter		

NIOSH IDLH Immediately Dangerous to Life or Health

Other information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Controls None under normal use conditions.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin and body protection	Wear protective gloves and protective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	When using do not eat, drink or smoke. Wash contaminated clothing before reuse.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color	Liquid grey grey	Odor Odor threshold	Slight No information available
Property pH Melting point / freezing point °F Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	Values_9   0 °C / 32 °F   No information available   No information available	Remarks • Method ph Range 8-10 No information available	
Dynamic viscosity	No information available		

# **10. STABILITY AND REACTIVITY**

## Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to avoid**

None known based on information supplied.

#### **Incompatible materials**

Incompatible with strong acids and bases. Strong oxidizing agents.

#### Hazardous decomposition products

None under normal use conditions.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	May be harmful if swallowed May cause irritation
Inhalation	Avoid breathing vapors or mists.
Eye contact	Avoid contact with eyes. May cause irritation.
Skin Contact	Avoid contact with skin. May cause irritation.
Ingestion	Do not taste or swallow. May be harmful if swallowed.

#### **Component Information**

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Water 7732-18-5	> 90 mL/kg (Rat)		
Iron Oxide (black) 1317-61-9	> 10000 mg/kg (Rat)		
Ethylene Glycol 107-21-1	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	
Aluminum Hydroxide 21645-51-2	> 5000 mg/kg (Rat)		

#### Symptoms related to the physical, chemical and toxicological characteristics

#### Symptoms

May cause irritation. May be harmful if swallowed.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen. *	
	Titanium Dioxide has been associated with lung cancer where the exposure is to the	
	respirable, dry powder form of the material. However, due to the physical nature of this	
	product (cured and uncured), exposures are not expected.	

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	-	2B	-	Х
13463-67-7				

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present	
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target organ effects	kidney.
Aspiration hazard	No information available.

#### Numerical measures of toxicity - Product Information

Unknown acute toxicity The following values are calculated	based on chapter 3.1 of the GHS document .
ATEmix (oral)	5253 mg/kg
ATEmix (dermal)	20126 mg/kg mg/l
ATEmix (inhalation-dust/mist)	30.1 mg/l

# **12. ECOLOGICAL INFORMATION**

## Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol 107-21-1	6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50	14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 41000: 96 h Oncorhynchus mykiss mg/L LC50	-	46300: 48 h Daphnia magna mg/L EC50

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical name	Partition coefficient	
Ethylene Glycol	-1.93	
107-21-1		

Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

# Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

# **14. TRANSPORT INFORMATION**

DOT

Not Regulated for all modes of transportation.

# **15. REGULATORY INFORMATION**

International Inventories TSCA DSL/NDSL

Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

## <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol - 107-21-1	107-21-1	1 - 5	1.0
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	Yes		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

	Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Γ	Ethylene Glycol	5000 lb	-	RQ 5000 lb final RQ
	107-21-1			RQ 2270 kg final RQ

## US State Regulations

#### California Proposition 65

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Titanium dioxide 13463-67-7	Х	Х	Х
Ethylene Glycol 107-21-1	Х	Х	Х

16. OTHER INFORMATION				
NFPA_	Health hazards 2	Flammability 0	Instability 0	Physical and chemical properties -
HMIS	Health hazards 2	Flammability 0	Physical hazards 0	Personal protection X
Prepared By Issuing Date Revision date Revision Note SDS sections updated 4	Regulatory Department 15-Dec-2014 18-Feb-2022			
			ed from data considered a ain properties are known to	

believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique

application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet