## SAFETY DATA SHEET



Issuing Date 16-Dec-2014 Revision date 16-Mar-2022

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Consolideck® ColorHard Light Roast

Other means of identification

Product Code(s) 46450

Recommended use of the chemical and restrictions on use

Recommended use
Uses advised against
Restricted to professional users.
No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

**8:00 AM – 5:00 PM CST Monday-Friday** 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

#### 2. HAZARDS IDENTIFICATION

#### Classification

Specific target organ toxicity (repeated exposure)

Category 2

#### Label elements

#### **Emergency Overview**

## Warning

#### Hazard statements

May cause damage to organs through prolonged or repeated exposure



Appearance light brown

Physical state Liquid

Odor Slight

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

## **Precautionary Statements - Response**

Get medical advice/attention if you feel unwell

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Other information

· May be harmful if swallowed

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Iron Oxide (black)	1317-61-9	15 - 40	*
Water	7732-18-5	15 - 40	*
Iron Oxide (red)	1309-37-1	10 - 30	*
Iron Oxide (yellow)	51274-00-1	10 - 30	*
Ethylene Glycol	107-21-1	1 - 5	*
Silicon Dioxide	7631-86-9	1 - 5	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

**General advice** If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Call a physician or poison

control center immediately.

**Self-protection of the first aider**Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause irritation. May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

## **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

protective gear.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Personal precautions**Use personal protective equipment as required. Avoid contact with eyes and skin.

**Environmental precautions** 

**Environmental precautions**Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated

place.

**Incompatible materials**None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

**Exposure Guidelines** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Iron Oxide (red) 1309-37-1	TWA: 5 mg/m³ respirable particulate matter	TWA: 10 mg/m³ fume TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ fume and total dust Iron oxide	IDLH: 2500 mg/m³ Fe dust and fume TWA: 5 mg/m³ Fe dust and fume
		(vacated) TWA: 5 mg/m³ respirable fraction regulated under Rouge	
Ethylene Glycol 107-21-1	STEL: 50 ppm vapor fraction STEL: 10 mg/m³ inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m³	
Silicon Dioxide 7631-86-9		TWA: 50 µg/m³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 6 mg/m³ <1%	IDLH: 3000 mg/m³ TWA: 6 mg/m³
		Crystalline silica TWA: 20 mppcf : (80)/(% SiO2) mg/m³ TWA	

NIOSH IDLH Immediately Dangerous to Life or Health

Other information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

\_\_\_\_\_

#### **Appropriate engineering controls**

**Engineering Controls** None under normal use conditions.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

> > No information available

provided in accordance with current local regulations.

**General Hygiene Considerations** When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid **Appearance** light brown Odor Sliaht

Color light brown Odor threshold No information available

**Property** Values Remarks • Method ph Range 8-10

Hq

0 °C / 32 °F Melting point / freezing point °F

Boiling point / boiling range No information available

Flash point

**Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

**Upper flammability limit:** No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Specific gravity 1.934

Water solubility Insoluble in water

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available No information available Kinematic viscosity Dynamic viscosity No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

None known based on information supplied.

#### **Incompatible materials**

None known based on information supplied.

#### **Hazardous decomposition products**

None under normal use conditions.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information No data available

**Inhalation** Avoid breathing vapors or mists. May be harmful if inhaled.

**Eye contact** Avoid contact with eyes. May cause irritation.

**Skin Contact** Avoid contact with skin. May cause irritation.

**Ingestion** Do not taste or swallow. May be harmful if swallowed.

**Component Information** 

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Iron Oxide (black) 1317-61-9	> 10000 mg/kg (Rat)		
Water 7732-18-5	> 90 mL/kg (Rat)		
Iron Oxide (red) 1309-37-1	> 10000 mg/kg (Rat)		
Ethylene Glycol 107-21-1	= 4700 mg/kg (Rat)	= 10600 mg/kg ( Rat )	
Silicon Dioxide 7631-86-9	= 7900 mg/kg (Rat)	> 5000 mg/kg ( Rabbit )	> 2.08 mg/L (Rat) 4 h

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May be harmful if swallowed. May cause irritation.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

<u> </u>	1110 101010 100			,
Chemical name	ACGIH	IARC	NTP	OSHA
Iron Oxide (red)	-	Group 3	-	-
1309-37-1				

Reproductive toxicity
STOT - single exposure
No information available.
No information available.

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Target organ effects** central nervous system, Respiratory system.

**Aspiration hazard** No information available.

## Numerical measures of toxicity - Product Information

#### Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5348 mg/kg

ATEmix (dermal) 106608 mg/kg mg/l

ATEmix (inhalation-dust/mist) 55 mg/l

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Iron Oxide (red)	-	100000: 96 h Danio rerio	-	-
1309-37-1		mg/L LC50 static		
Ethylene Glycol 107-21-1	6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50	14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 41000: 96 h Oncorhynchus mykiss mg/L LC50	-	46300: 48 h Daphnia magna mg/L EC50
Silicon Dioxide 7631-86-9	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static	-	7600: 48 h Ceriodaphnia dubia mg/L EC50

# <u>Persistence and degradability</u> No information available.

#### **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
Ethylene Glycol	-1.93
107-21-1	

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and **Disposal of wastes** 

regulations.

Contaminated packaging Do not reuse container.

## 14. TRANSPORT INFORMATION

DOT Not Regulated for all modes of transportation.

## 15. REGULATORY INFORMATION

## International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol - 107-21-1	107-21-1	1 - 5	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

	Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Г	Ethylene Glycol	5000 lb	=	RQ 5000 lb final RQ
	107-21-1			RQ 2270 kg final RQ

## **US State Regulations**

#### **California Proposition 65**

#### **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Iron Oxide (red) 1309-37-1	X	X	X
Ethylene Glycol 107-21-1	X	X	Х
Silicon Dioxide 7631-86-9	-	X	Х

## **16. OTHER INFORMATION**

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and chemical properties -

Health hazards 2 Flammability 0 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

Issuing Date 16-Dec-2014 Revision date 16-Mar-2022

**Revision Note** 

SDS sections updated 7 10 11 15

**Disclaimer** 

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**