

Issuing Date 10-Nov-2014

Revision date 16-Sep-2019



PROSOCO

Revision Number 1.02

Product identifier Product Name

Consolideck® Concrete Floor Restorer

Other means of identification Product Code(s) UN number

46020 UN1760

Recommended use of the chemical and restrictions on useRecommended useRestricted to professional users.Uses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)


785-865-4200 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label elements



Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	40 - 70	*
Phosphoric Acid	7664-38-2	10 - 30	*
Gluconic Acid	526-95-4	1 - 5	*
1-Butoxy-2-proponal	5131-66-8	1 - 5	*
Dipropylene glycol monomethyl ether	34590-94-8	1 - 5	*
N-Methyl-2-2pyrrolidone	872-50-4	1 - 5	*
Monoethanolamine	141-43-5	1 - 5	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	Immediate medical attention is required.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Immediate medical attention is required. Do not rub affected area.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Call a physician or poison control center immediately.
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms The product causes burns of eyes, skin and mucous membranes. Harmful if inhaled.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.			
Environmental precautions				
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains. See Section 12 for additional ecological information.			
Methods and material for containment and cleaning up				
Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.				
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.			
7. HANDLING AND STORAGE				

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep out of the reach of children. Keep containers tightly closed in a dry, cool and
-	well-ventilated place. Keep in properly labeled containers.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric Acid 7664-38-2	STEL: 3 mg/m ³ TWA: 1 mg/m ³	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 1000 mg/m ³ TWA: 1 mg/m ³
		(vacated) STEL: 3 mg/m ³	STEL: 3 mg/m ³
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m ³ (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m ³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m ³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m ³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

.

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid clear Slight amber	Odor Odor threshold	No information available No information available
<u>Property</u> pH Melting point / freezing point °F	<u>Values</u> 0.2 -11 °C / 12 °F	<u>Remarks • Method</u>	
Boiling point / boiling range	No information available		

46020 Consolideck® Concrete Floor Restorer

Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature Kinematic viscosity** Dynamic viscosity

> 100 °C / > 212 °F
No information available
1.12
completely soluble
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Strong bases.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information		Harmful by inhalation Causes severe skin burns and eye damage
	Inhalation	Harmful by inhalation.
	Eye contact	Causes serious eye damage.
	Skin Contact	Causes severe burns.
	Ingestion	Do not taste or swallow. Harmful if swallowed.

Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Water	> 90 mL/kg (Rat)		
7732-18-5			
Phosphoric Acid	= 1530 mg/kg (Rat)	= 2730 mg/kg (Rabbit)	> 850 mg/m³ (Rat)1 h
7664-38-2			
Gluconic Acid	= 7630 mg/kg (Rat)		
526-95-4			

46020 Consolideck® Concrete Floor Restorer

1-Butoxy-2-proponal 5131-66-8	= 5660 µL/kg(Rat)	= 3100 mg/kg (Rabbit)	
Dipropylene glycol monomethyl ether 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	
N-Methyl-2-2pyrrolidone 872-50-4	= 3598 mg/kg (Rat)	= 2500 mg/kg (Rat)> 5000 mg/kg (Rabbit)	= 3.1 mg/L (Rat)4 h
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit)= 1025 mg/kg (Rabbit)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	The product causes burns of eyes, skin and mucous membranes. Harmful if inhaled.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity	
The following values are calculated	based on chapter 3.1 of the GHS document .
ATEmix (oral)	6723 mg/kg
ATEmix (dermal)	9859 mg/kg mg/l
ATEmix (inhalation-dust/mist)	1.1 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Phosphoric Acid 7664-38-2	-	3 - 3.5: 96 h Gambusia affinis mg/L LC50	-	4.6: 12 h Daphnia magna mg/L EC50
Dipropylene glycol monomethyl ether 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	-	1919: 48 h Daphnia magna mg/L LC50
N-Methyl-2-2pyrrolidone 872-50-4	500: 72 h Desmodesmus subspicatus mg/L EC50	832: 96 h Lepomis macrochirus mg/L LC50 static 4000: 96 h Leuciscus idus mg/L LC50 static 1072: 96 h Pimephales promelas mg/L LC50 static 1400: 96 h Poecilia reticulata mg/L LC50 static	-	4897: 48 h Daphnia magna mg/L EC50
Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-	65: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Dipropylene glycol monomethyl ether 34590-94-8	-0.064
N-Methyl-2-2pyrrolidone 872-50-4	-0.46
Monoethanolamine 141-43-5	-1.91

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D002

14. TRANSPORT INFORMATION

DOT	Regulated
UN number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s. (Phosphoric and Gluconic Acid)
Transport hazard class(es)	8
Packing group	II

15. REGULATORY INFORMATION

International Inventories TSCA DSL/NDSL

Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Dipropylene glycol monomethyl ether - 34590-94-8	34590-94-8	1 - 5	1.0
N-Methyl-2-2pyrrolidone - 872-50-4	872-50-4	1 - 5	1.0
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	No		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric Acid 7664-38-2	5000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric Acid	5000 lb	-	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
N-Methyl-2-2pyrrolidone - 872-50-4	Developmental	
N,N-Diethanolamine - 111-42-2	Carcinogen	
1,4-Dioxane - 123-91-1	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Phosphoric Acid 7664-38-2	Х	X	Х
Dipropylene glycol monomethyl ether 34590-94-8	X	X	Х
N-Methyl-2-2pyrrolidone 872-50-4	Х	X	Х
Monoethanolamine 141-43-5	Х	X	Х

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards 3	Flammability 0	Instability 0	Physical and chemical properties -
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection X
Prepared By	Regulato	Regulatory Department		
Issuing Date	10-Nov-2	10-Nov-2014		
Revision date	16-Sep-2019			
Revision Note				
SDS sections updat	ted 2 4 7 8 10 11			
Disclaimer				
The information co	ontained on the Safety Data	Sheet has been compi	led from data considered a	ccurate. This data is

believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet