SAFETY DATA SHEET



Issuing Date 19-Dec-2014 Revision date 29-May-2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Consolideck® GemTone Stain Black

Other means of identification

Product Code(s) 46170

Recommended use of the chemical and restrictions on use

Recommended use
Uses advised against
Restricted to professional users.
No information available

Details of the supplier of the safety data sheet

Manufacturer Address

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

8:00 AM – 5:00 PM CST Monday-Friday 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation Category 2

Label elements

Emergency Overview

Warning

Hazard statements

Causes serious eye irritation



Appearance black Physical state Liquid Odor Slight

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC)

Other information

- · May be harmful if swallowed
- · May be harmful in contact with skin
- · Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No. | Weight-% | Trade Secret |
|--------------------------------------|-------------|----------|--------------|
| Diethylene glycol monobutyl ether | 112-34-5 | 60 - 100 | * |
| Proprietary - Organic chrome complex | Proprietary | 5 - 10 | * |
| Sodium dioctyl sulfosuccinate | 577-11-7 | 1 - 5 | * |
| Proprietary - Organic chrome complex | Proprietary | 1 - 5 | * |
| Proprietary - Organic chrome complex | Proprietary | 1 - 5 | * |

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a

physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth

to an unconscious person. Call a physician.

Self-protection of the first aiderUse personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation. May cause skin irritation. May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use. Dry chemical, CO2, water spray or alcohol-resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsUse personal protective equipment as required. Avoid contact with eyes and skin.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Prevent further

leakage or spillage if safe to do so. Should not be released into the environment. See

Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated

place. Keep in properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------------------|-----------|---|--|
| Proprietary - Organic chrome complex | | TWA: 0.5 mg/m ³ Cr | IDLH: 15 mg/m ³ Cr(VI) IDLH: 25 |
| | | (vacated) TWA: 0.5 mg/m ³ Cr | mg/m³ Cr(III) |
| | | (vacated) Ceiling: 0.1 mg/m ³ | TWA: 0.0002 mg/m ³ Cr TWA: 0.5 |
| | | Ceiling: 0.1 mg/m ³ CrO3 applies | mg/m³ Cr |
| | | to any operations or sectors for | |
| | | which the Hexavalent Chromium | |
| | | standard [29 CFR 1910.1026] is | |
| | | stayed or is otherwise not in | |
| | | effect | |
| Proprietary - Organic chrome complex | | TWA: 0.5 mg/m ³ Cr | IDLH: 15 mg/m ³ Cr(VI) IDLH: 25 |
| | | (vacated) TWA: 0.5 mg/m ³ Cr | mg/m³ Cr(III) |
| | | (vacated) Ceiling: 0.1 mg/m ³ | TWA: 0.0002 mg/m ³ Cr TWA: 0.5 |
| | | Ceiling: 0.1 mg/m³ CrO3 applies | mg/m³ Cr |
| | | to any operations or sectors for | |
| | | which the Hexavalent Chromium | |
| | | standard [29 CFR 1910.1026] is | |
| | | stayed or is otherwise not in | |

| | effect | |
|--------------------------------------|--|--|
| Proprietary - Organic chrome complex | TWA: 0.5 mg/m ³ Cr | IDLH: 15 mg/m ³ Cr(VI) IDLH: 25 |
| | (vacated) TWA: 0.5 mg/m ³ Ci | mg/m³ Cr(III) |
| | (vacated) Ceiling: 0.1 mg/m ³ | TWA: 0.0002 mg/m ³ Cr TWA: 0.5 |
| | Ceiling: 0.1 mg/m³ CrO3 applie | s mg/m³ Cr |
| | to any operations or sectors for | r |
| | which the Hexavalent Chromiu | n |
| | standard [29 CFR 1910.1026] | s |
| | stayed or is otherwise not in | |
| | effect | |

NIOSH IDLH Immediately Dangerous to Life or Health

Other information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

ASTM D 3278

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash contaminated

clothing before reuse. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceblackOdorSlight

Color black Odor threshold No information available

PropertyValuesRemarks • MethodpHNot ApplicableNot Applicable

Melting point / freezing point °F Not Applicable 0 °C / 32 °F

Boiling point / boiling range No information available

Flash point > 100 °C / > 212 °F
Evaporation rate No information available

Flammability (solid, gas) No information available Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific gravity 1.0 (0.9 - 1.1)
Water solubility Soluble in water

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation Avoid breathing vapors or mists. May cause irritation.

Eye contact Avoid contact with eyes. Causes serious eye irritation.

Skin Contact Avoid contact with skin. May cause irritation.

Ingestion Do not taste or swallow. Harmful if swallowed.

Component Information

| | Chemical name | LD50/Oral | LD50/Dermal | Inhalation LC50 |
|---|---|--------------------|--------------------------|-----------------|
| D | liethylene glycol monobutyl ether 112-34-5 | = 3384 mg/kg (Rat) | = 2700 mg/kg (Rabbit) | |
| | Sodium dioctyl sulfosuccinate 577-11-7 | = 1900 mg/kg (Rat) | = 10000 mg/kg (Rabbit) | |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Causes serious eye irritation. May cause skin irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| <u>our chilogeriloity</u> | THE LADIC DEL | The table below indicates whether each agency has listed any ingredient as a carolloge | | |
|--------------------------------------|---------------|--|-----|------|
| Chemical name | ACGIH | IARC | NTP | OSHA |
| Proprietary - Organic chrome complex | - | Group 3 | - | - |
| Proprietary - Organic chrome complex | - | Group 3 | - | - |
| Proprietary - Organic chrome complex | - | Group 3 | - | - |

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 3192 mg/kg

 ATEmix (dermal)
 3139 mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-----------------------------|-----------------------|----------------------------|----------------------------|--------------------------|
| Diethylene glycol monobutyl | 100: 96 h Desmodesmus | 1300: 96 h Lepomis | - | 2850: 24 h Daphnia magna |
| ether | subspicatus mg/L EC50 | macrochirus mg/L LC50 | | mg/L EC50 100: 48 h |
| 112-34-5 | | static | | Daphnia magna mg/L EC50 |
| Sodium dioctyl | - | 20 - 40: 96 h Oncorhynchus | - | 36: 48 h Daphnia magna |
| sulfosuccinate | | mykiss mg/L LC50 | | mg/L EC50 |
| 577-11-7 | | semi-static 24: 96 h | | - |
| | | Oncorhynchus mykiss mg/L | | |
| | | LC50 static 37: 96 h | | |
| | | Lepomis macrochirus mg/L | | |
| | | LC50 static | | |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D007

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No. | Weight-% | SARA 313 - Threshold Values % |
|--|---------|----------|----------------------------------|
| Proprietary - Organic chrome complex - | - | 5 - 10 | 1.0 |
| Proprietary - Organic chrome complex - | - | 1 - 5 | 1.0 |
| Proprietary - Organic chrome complex - | - | 1 - 5 | 1.0 |

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Proprietary - Organic chrome complex | - | X | - | - |
| Proprietary - Organic chrome complex | - | Х | - | - |
| Proprietary - Organic chrome complex | - | Х | - | - |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|-----------------------------------|------------|---------------|--------------|
| Diethylene glycol monobutyl ether | X | - | X |

| 112-34-5 | | | |
|--------------------------------------|---|---|---|
| Proprietary - Organic chrome complex | Х | - | Х |
| Proprietary - Organic chrome complex | X | - | Х |
| Proprietary - Organic chrome complex | Х | - | Х |
| Ethanol 64-17-5 | Х | Х | Х |

16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and chemical properties -

HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

Issuing Date 19-Dec-2014
Revision date 29-May-2020

Revision Note

SDS sections updated 6 7 11

Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet