SAFETY DATA SHEET



Odor Slight

Issuing Date 19-Dec-2014 Revision date 15-Sep-2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Consolideck® GemTone Stain Dark Brown

Other means of identification

Product Code(s) 46166

Recommended use of the chemical and restrictions on use

Recommended use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

8:00 AM – 5:00 PM CST Monday-Friday 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation Category 2

Label elements

Emergency Overview

Warning

Hazard statements

Causes serious eye irritation



Appearance dark brown Physical state Liquid

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC)

Other information

- · May be harmful if swallowed
- · May be harmful in contact with skin
- · Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Diethylene glycol monobutyl ether	112-34-5	60 - 100	*
Solvent Yellow Dye	Proprietary	5 - 10	*
Sodium dioctyl sulfosuccinate	577-11-7	5 - 10	*
Proprietary Solvent Red Dye	Proprietary	3 - 7	*
Proprietary Organic Chrome Comple	Proprietary	1 - 5	*
Proprietary Organic Chrome Comple	Proprietary	1 - 5	*
Proprietary Organic Chrome Comple	Proprietary	1 - 5	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a

physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth

to an unconscious person. Call a physician.

Self-protection of the first aider Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation. May cause skin irritation.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use. Dry chemical, CO2, water spray or alcohol-resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

breathing vapors or mists.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent product from entering drains. See Section

12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Use personal protective

equipment as required. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or

mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep container tightly closed. Keep containers tightly

closed in a cool, well-ventilated place. Keep in properly labeled containers.

Incompatible materials Incompatible with oxidizing agents. Incompatible with strong acids and bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proprietary Solvent Red Dye		TWA: 0.5 mg/m ³ Cr	IDLH: 15 mg/m ³ Cr(VI) IDLH: 25
		(vacated) TWA: 0.5 mg/m³ Cr	mg/m³ Cr(III)
		(vacated) Ceiling: 0.1 mg/m ³	TWA: 0.0002 mg/m ³ Cr TWA: 0.5
		Ceiling: 0.1 mg/m ³ CrO3 applies	mg/m³ Cr
		to any operations or sectors for	
		which the Hexavalent Chromium	
		standard [29 CFR 1910.1026] is	
		stayed or is otherwise not in	
		effect	
Proprietary Organic Chrome Comple		TWA: 0.5 mg/m ³ Cr	IDLH: 15 mg/m ³ Cr(VI) IDLH: 25
		(vacated) TWA: 0.5 mg/m³ Cr	mg/m³ Cr(III)
		(vacated) Ceiling: 0.1 mg/m ³	TWA: 0.0002 mg/m3 Cr TWA: 0.5
		Ceiling: 0.1 mg/m³ CrO3 applies	mg/m³ Cr

	•	
	to any operations or sectors for	
	which the Hexavalent Chromium	
	standard [29 CFR 1910.1026] is	
	stayed or is otherwise not in	
	effect	
Proprietary Organic Chrome Comple	TWA: 0.5 mg/m ³ Cr	IDLH: 15 mg/m ³ Cr(VI) IDLH: 25
	(vacated) TWA: 0.5 mg/m ³ Cr	mg/m³ Cr(III)
	(vacated) Ceiling: 0.1 mg/m ³	TWA: 0.0002 mg/m3 Cr TWA: 0.5
	Ceiling: 0.1 mg/m ³ CrO3 applies	mg/m³ Cr
	to any operations or sectors for	
	which the Hexavalent Chromium	
	standard [29 CFR 1910.1026] is	
	stayed or is otherwise not in	
	effect	
Proprietary Organic Chrome Comple	TWA: 0.5 mg/m ³ Cr	IDLH: 15 mg/m ³ Cr(VI) IDLH: 25
	(vacated) TWA: 0.5 mg/m³ Cr	mg/m³ Cr(III)
	(vacated) Ceiling: 0.1 mg/m ³	TWA: 0.0002 mg/m3 Cr TWA: 0.5
	Ceiling: 0.1 mg/m³ CrO3 applies	mg/m³ Cr
	to any operations or sectors for	
	which the Hexavalent Chromium	
	standard [29 CFR 1910.1026] is	
	stayed or is otherwise not in	
	effect	

NIOSH IDLH Immediately Dangerous to Life or Health

Other information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Wash contaminated clothing before reuse. When using do not eat, drink or smoke. Regular

cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearancedark brownOdorSlight

Color dark brown Odor threshold No information available

PropertyValuesRemarks • MethodpHNot ApplicableNot Applicable

Melting point / freezing point °F 0 °C / 32 °F

Boiling point / boiling rangeNo information available

Flash point

No information available

> 100 °C / > 212 °F

Flash point > 100 °C / > 212 °F ASTM D 3278
Evaporation rate No information available

Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit: No information available

Lower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information available

Specific gravity 1.017

Water solubility Soluble in water

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Incompatible with oxidizing agents. Incompatible with strong acids and bases.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes serious eye irritation May cause skin irritation

Inhalation Avoid breathing vapors or mists. May be harmful if inhaled.

Eye contact Avoid contact with eyes. Causes serious eye irritation.

Skin Contact Avoid contact with skin. May cause irritation.

Ingestion Do not taste or swallow. Harmful if swallowed.

Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Diethylene glycol monobutyl ether 112-34-5	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	
Sodium dioctyl sulfosuccinate 577-11-7	= 1900 mg/kg (Rat)	= 10000 mg/kg (Rabbit)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Causes serious eye irritation. May cause skin irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo information available.
No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

The table below indicates whether each age			agoney mac notou arry mig	rodioni do a odromogom
Chemical name	ACGIH	IARC	NTP	OSHA
Proprietary Solvent Red Dye	-	Group 3	-	-
Proprietary Organic Chrome Comple	-	Group 3	-	-
Proprietary Organic Chrome Comple	-	Group 3	-	-
Proprietary Organic Chrome Comple	-	Group 3	-	-

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 3336 mg/kg

 ATEmix (dermal)
 3749 mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diethylene glycol monobutyl ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	-	2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50
Sodium dioctyl sulfosuccinate 577-11-7	-	20 - 40: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 24: 96 h Oncorhynchus mykiss mg/L LC50 static 37: 96 h Lepomis macrochirus mg/L LC50 static	-	36: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number

14. TRANSPORT INFORMATION

DOT Not Regulated for all modes of transportation.

D007

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Proprietary Solvent Red Dy -	-	3 - 7	1.0
Proprietary Organic Chrome Comple -	-	1 - 5	1.0
Proprietary Organic Chrome Comple -	-	1 - 5	1.0
Proprietary Organic Chrome Comple -	-	1 - 5	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Proprietary Solvent Red Dye	-	X	-	-
Proprietary Organic Chrome Comple	-	Х	-	-
Proprietary Organic Chrome Comple	-	X	-	-
Proprietary Organic Chrome Comple	-	Х	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Diethylene glycol monobutyl ether 112-34-5	Χ	-	Х
Proprietary Solvent Red Dye	Х	-	Х
Proprietary Organic Chrome Comple	Х	-	X
Proprietary Organic Chrome Comple	Х	-	X
Proprietary Organic Chrome Comple	Х	-	X
Ethanol 64-17-5	Х	Х	Х

16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and chemical

properties -

HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

Issuing Date 19-Dec-2014
Revision date 15-Sep-2020

Revision Note

SDS sections updated 2

Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet