

SAFETY DATA SHEET



PROSOCO
Revision Number 1.01

Issuing Date 19-Dec-2014

Revision date 07-Dec-2018

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Consolideck® GemTone Stain Georgia Clay

Other means of identification

Product Code(s) 46140

Recommended use of the chemical and restrictions on use

Recommended use Restricted to professional users.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

PROSOCO, Inc.
3741 Greenway Circle
Lawrence, Kansas 66046

Emergency telephone number

8:00 AM – 5:00 PM CST Monday-Friday 785-865-4200
NON-BUSINESS HOURS (INFOTRAC) 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

| | |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 2 |
|-----------------------------------|------------|

Label elements

Emergency Overview

Warning

Hazard statements

Causes serious eye irritation



Appearance colored Liquid

Physical state Liquid

Odor Slight

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear eye/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC)

Other information

- May be harmful if swallowed
- May be harmful in contact with skin
- Causes mild skin irritation

4% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No. | Weight-% | Trade Secret |
|-----------------------------------|-------------|----------|--------------|
| Diethylene glycol monobutyl ether | 112-34-5 | 60 - 100 | * |
| Solvent Red Dye | Proprietary | 3 - 7 | * |
| Solvent Yellow Dye | Proprietary | 1 - 5 | * |
| Sodium dioctyl sulfosuccinate | 577-11-7 | 1 - 5 | * |

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| | |
|---|--|
| General advice | If symptoms persist, call a physician. |
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| Inhalation | Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician. |
| Ingestion | Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician. |
| Self-protection of the first aider | Use personal protective equipment as required. |

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation. May cause skin irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use. Dry chemical. Carbon dioxide (CO₂). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Avoid contact with eyes and skin.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**Exposure Guidelines**

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------|-----------|---|---|
| Solvent Red Dye | | TWA: 0.5 mg/m ³ Cr (vacated) TWA: 0.5 mg/m ³ Cr (vacated) Ceiling: 0.1 mg/m ³ Ceiling: 0.1 mg/m ³ CrO ₃ applies to any operations or sectors for which the Hexavalent Chromium standard [29 CFR 1910.1026] is stayed or is otherwise not in effect | IDLH: 15 mg/m ³ Cr(VI) IDLH: 25 mg/m ³ Cr(III) TWA: 0.0002 mg/m ³ Cr TWA: 0.5 mg/m ³ Cr |

NIOSH IDLH *Immediately Dangerous to Life or Health*

Other information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------|---|
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Skin and body protection | Wear protective gloves. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |

General Hygiene Considerations Wash contaminated clothing before reuse. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

| | | | |
|--|--------------------------|-------------------------|--------------------------|
| Physical state | Liquid | Odor | Slight |
| Appearance | colored Liquid | Odor threshold | No information available |
| Color | orange yellow | | |
| Property | Values | Remarks • Method | |
| pH | Not Applicable | | |
| Melting point / freezing point °F | 0 °C / 32 °F | | |
| Boiling point / boiling range | No information available | | |
| Flash point | > 93 °C / > 200 °F | ASTM D 3278 | |
| Evaporation rate | No information available | | |
| Flammability (solid, gas) | No information available | | |
| Flammability Limit in Air | | | |
| Upper flammability limit: | No information available | | |
| Lower flammability limit: | No information available | | |
| Vapor pressure | No information available | | |
| Vapor density | No information available | | |
| Specific gravity | 1.001 | | |
| Water solubility | Soluble in water | | |
| Solubility in other solvents | No information available | | |
| Partition coefficient | No information available | | |
| Autoignition temperature | No information available | | |
| Decomposition temperature | No information available | | |
| Kinematic viscosity | No information available | | |
| Dynamic viscosity | No information available | | |

10. STABILITY AND REACTIVITY**Reactivity**

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

| | |
|----------------------------|---|
| Product Information | Causes serious eye irritation May cause skin irritation |
| Inhalation | Avoid breathing vapors or mists. May be harmful if inhaled. |
| Eye contact | Avoid contact with eyes. Causes serious eye irritation. |
| Skin Contact | Avoid contact with skin. May cause irritation. |
| Ingestion | Do not taste or swallow. Harmful if swallowed. |

Component Information

| Chemical name | LD50/Oral | LD50/Dermal | Inhalation LC50 |
|---|----------------------|--------------------------|-----------------|
| Diethylene glycol monobutyl ether 112-34-5 | = 3384 mg/kg (Rat) | = 2700 mg/kg (Rabbit) | |
| Sodium dioctyl sulfosuccinate 577-11-7 | = 1900 mg/kg (Rat) | = 10000 mg/kg (Rabbit) | |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Causes serious eye irritation. May cause skin irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|---------------------------------|--|
| Sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

Numerical measures of toxicity - Product Information

Unknown acute toxicity 4% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

| | |
|------------------------|-----------------|
| ATEmix (oral) | 3535 mg/kg |
| ATEmix (dermal) | 3139 mg/kg mg/l |

12. ECOLOGICAL INFORMATION**Ecotoxicity**

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---|--|---|----------------------------|--|
| Diethylene glycol monobutyl ether 112-34-5 | 100: 96 h Desmodemus subspicatus mg/L EC50 | 1300: 96 h Lepomis macrochirus mg/L LC50 static | - | 2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50 |
| Sodium dioctyl sulfosuccinate 577-11-7 | - | 20 - 40: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 24: 96 h Oncorhynchus mykiss mg/L LC50 static 37: 96 h Lepomis macrochirus mg/L LC50 static | - | 36: 48 h Daphnia magna mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION**DOT**

Not Regulated for all modes of transportation.

15. REGULATORY INFORMATION**International Inventories****TSCA** Complies**DSL/NDSL** Complies**Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List***US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No. | Weight-% | SARA 313 - Threshold Values % |
|-------------------|---------|----------|-------------------------------|
| Solvent Red Dye - | - | 3 - 7 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|--|-----|
| Acute health hazard | Yes |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Solvent Red Dye | - | X | - | - |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Diethylene glycol monobutyl ether 112-34-5 | X | - | X |
| Solvent Red Dye | X | - | X |
| Ethanol 64-17-5 | X | X | X |

16. OTHER INFORMATION

| | | | | |
|-------------|------------------|----------------|--------------------|------------------------------------|
| NFPA | Health hazards 2 | Flammability 1 | Instability 0 | Physical and chemical properties - |
| HMIS | Health hazards 2 | Flammability 1 | Physical hazards 0 | Personal protection X |

Prepared By Regulatory Department

Issuing Date 19-Dec-2014

Revision date 07-Dec-2018

Revision Note

SDS sections updated 6 7 8 10

Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet