

Issuing Date 19-Dec-2014

Revision date 28-Feb-2025

# **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Product identifier Product Name

Consolideck® GemTone Stain Welsh Slate

Other means of identification Product Code(s)

Recommended use of the chemical and restrictions on useRecommended useRestricted to professional users.Uses advised againstNo information available

46100

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200 800-535-5053

# 2. HAZARDS IDENTIFICATION

#### **Classification**

Serious eye damage/eye irritation

Label elements

Warning		
Hazard statements		
Causes serious eye irritation		
Appearance colored Liquid Physical state Liquid	Odor	Slight

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

# **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing



Category 2A

If eye irritation persists: Get medical advice/attention

# Hazards not otherwise classified (HNOC)

Other information

- May be harmful if swallowed
- May be harmful in contact with skin

Causes mild skin irritation

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Diethylene glycol monobutyl ether	112-34-5	60 - 100	*
Organic Chrome Complex	Proprietary	5 - 10	*
Sodium dioctyl sulfosuccinate	577-11-7	1 - 5	*
Organic Chrome Complex	Proprietary	1 - 5	*
Organic Chrome Complex	Proprietary	1 - 5	*
Benzyl Alcohol	100-51-6	1 - 5	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice	If symptoms persist, call a physician.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.		
Skin Contact	Remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.		
Inhalation	Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.		
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. Call a physician.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Causes serious eye irritation. May cause skin irritation.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

# **5. FIRE-FIGHTING MEASURES**

# Suitable Extinguishing Media

Use. Dry chemical, CO2, water spray or alcohol-resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

No information available.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective eq	uipment and emergency procedures			
Personal precautions	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists.			
Environmental precautions				
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. See Section 12 for additional ecological information.			
Methods and material for containme	ent and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.			
	7. HANDLING AND STORAGE			
Precautions for safe handling				
Advice on safe handling	Use personal protective equipment as required. Use with local exhaust ventilation. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists.			
Conditions for safe storage, includi	ng any incompatibilities			
Storage Conditions	Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilate place. Keep in properly labeled containers.			

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor		
Organic Chrome Complex		TWA: 0.5 mg/m <sup>3</sup> Cr (vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III) TWA: 0.5 mg/m <sup>3</sup> Cr
Organic Chrome Complex		TWA: 0.5 mg/m <sup>3</sup> Cr (vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III) TWA: 0.5 mg/m <sup>3</sup> Cr
Organic Chrome Complex		TWA: 0.5 mg/m <sup>3</sup> Cr (vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III) TWA: 0.5 mg/m <sup>3</sup> Cr

NIOSH IDLH Immediately Dangerous to Life or Health

#### Other information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Controls	None under normal use conditions.	
Individual protection measures, suc	ch as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective gloves and protective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	Liquid colored Liquid black	Odor Odor threshold	Slight No information available
Property_	<u>Values</u>	Remarks • Method	
pH Melting point / freezing point °F	Not Applicable No information available		
Boiling point / boiling range	No information available		
Flash point	> 100 °C / > 212 °F	ASTM D 3278	
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	0.993		
Water solubility	Soluble in water No information available		
Solubility in other solvents Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available

## Chemical stability

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

None known based on information supplied.

#### **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

#### Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Causes serious eye irritation May cause skin irritation	
Inhalation	Avoid breathing vapors or mists. May cause irritation.	
Eye contact	Avoid contact with eyes. Causes serious eye irritation.	
Skin Contact	Avoid contact with skin. May cause irritation.	
Ingestion	Do not taste or swallow.	

#### Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Diethylene glycol monobutyl ether 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	
Sodium dioctyl sulfosuccinate 577-11-7	= 3080 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	
Benzyl Alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat)4 h

#### Symptoms related to the physical, chemical and toxicological characteristics

#### Symptoms

Causes serious eye irritation. May cause skin irritation.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informatio	No information available. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.		
Chemical name	ACGIH	IARC	NTP	OSHA
Organic Chrome Complex	-	Group 3	-	-
Organic Chrome Complex	-	Group 3	-	-
Organic Chrome Complex	-	Group 3	-	-

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.Aspiration hazardNo information available.

# Numerical measures of toxicity - Product Information

Unknown acute toxicity The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 3147 mg/kg ATEmix (dermal) 3123 mg/kg mg/l ATEmix (inhalation-dust/mist) 117.6 mg/l

# **12. ECOLOGICAL INFORMATION**

# Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diethylene glycol monobutyl ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	-	100: 48 h Daphnia magna mg/L EC50
Sodium dioctyl sulfosuccinate 577-11-7	-	20 - 40: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 24: 96 h Oncorhynchus mykiss mg/L LC50 static 37: 96 h Lepomis macrochirus mg/L LC50 static	-	36: 48 h Daphnia magna mg/L EC50
Benzyl Alcohol 100-51-6	-	10: 96 h Lepomis macrochirus mg/L LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	-	23: 48 h water flea mg/L EC50

#### Persistence and degradability

# No information available.

# **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
Benzyl Alcohol	1.1
100-51-6	

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D007

# 14. TRANSPORT INFORMATION

DOT

TSCA

Not Regulated for all modes of transportation.

# 15. REGULATORY INFORMATION

Complies

# DSL/NDSL

## Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Organic Chrome Complex -	-	5 - 10	1.0
Organic Chrome Complex -	-	1 - 5	1.0
Organic Chrome Complex -	-	1 - 5	1.0
SARA 311/312 Hazard Categories			

Yes No No No

No

ANA STIJSTZ Hazard Galegones	
Acute health hazard	
Chronic Health Hazard	
Fire hazard	
Sudden release of pressure hazard	
Reactive Hazard	

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Organic Chrome Complex	-	Х	-	-
Organic Chrome Complex	-	Х	-	-
Organic Chrome Complex	-	Х	-	-

# CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

# California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Diethylene glycol monobutyl ether 112-34-5	Х	-	Х
Organic Chrome Complex	Х	-	Х
Organic Chrome Complex	Х	-	Х
Organic Chrome Complex	Х	-	Х
Ethanol 64-17-5	Х	X	Х

# **16. OTHER INFORMATION**

<u>NFPA</u>	Health hazards 2	Flammability 1	Instability 0	Physical and chemical properties -
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection X
Prepared By Issuing Date Revision date Revision Note No information available <u>Disclaimer</u>	19-Dec-20 28-Feb-20	25		
The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is				

believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet