

PROSOCO Revision Number 1.03

Issuing Date 06-Nov-2014

Revision date 26-Aug-2019

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name

Consolideck® Wax & Cure Remover

Other means of identification Product Code(s)

Recommended use of the chemical and restrictions on useRecommended useRestricted to professional users.Uses advised againstNo information available

46025

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)


785-865-4200 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

· May be harmful in contact with skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Benzyl Alcohol	100-51-6	30 - 60	*
Dimethyl Glutarate	1119-40-0	15 - 40	*
Dimethyl Adipate	627-93-0	10 - 30	*
Alcohols, C9-11, ethoxylated	68439-46-3	3 - 7	*
Monoethanolamine	141-43-5	1 - 5	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	If symptoms persist, call a physician.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.	
Skin Contact	Wash off immediately with plenty of water while removing contaminated clothing and shoes. If skin irritation persists, call a physician.	
Inhalation	Move to fresh air in case of accidental inhalation of vapors or decomposition products. If breathing is irregular or stopped, administer artificial respiration. Call a physician.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		

Symptoms	Causes serious eye damage. Causes skin irritation. Harmful if swallowed. Harmful if inhaled.	
Indication of any immediate medica	I attention and special treatment needed	
Note to physicians	Treat symptomatically.	
	5. FIRE-FIGHTING MEASURES	
<u>Suitable Extinguishing Media</u> Use. Dry chemical. Carbon dioxide (C	O2). Water spray (fog). Alcohol resistant foam.	
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.	
Specific hazards arising from the cl No information available.	nemical	
Protective equipment and precaution As in any fire, wear self-contained breat protective gear.	ons for firefighters athing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective eq	uipment and emergency procedures	
Personal precautions	Use personal protective equipment as required. Avoid contact with skin, eyes and inhalation of vapors.	
Environmental precautions		
Environmental precautions	Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. See Section 12 for additional ecological information.	
Methods and material for containme	ent and cleaning up_	
Methods for containment	Dike far ahead of liquid spill for later disposal.	
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.	
Conditions for safe storage, includi	ng any incompatibilities	
Storage Conditions	Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.	
Incompatible materials	Acids. Strong oxidizing agents. Acetaldehyde. Aluminum compounds. Strong bases.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Monoethanolamine	STEL: 6 ppm	TWA: 3 ppm	IDLH: 30 ppm
141-43-5	TWA: 3 ppm	TWA: 6 mg/m ³	TWA: 3 ppm
		(vacated) TWA: 3 ppm	TWA: 8 mg/m ³
		(vacated) TWA: 8 mg/m ³	STEL: 6 ppm
		(vacated) STEL: 6 ppm	STEL: 15 mg/m ³
		(vacated) STEL: 15 mg/m ³	

NIOSH IDLH Immediately Dangerous to Life or Health

Other information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers	
	Eyewash stations	
	Ventilation systems.	

Individual protection measures, such as personal protective equipment

.

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid colorless colorless	Odor Odor threshold	Characteristic No information available
<u>Property</u> pH	<u>Values</u> Not Applicable	Remarks • Method Not Applicable	
Melting point / freezing point °F Boiling point / boiling range	No information available No information available		
Flash point	> 93 °C / > 200 °F	ASTM D 3278	
Evaporation rate Flammability (solid, gas)	No information available No information available		
Flammability Limit in Air			
Upper flammability limit: Lower flammability limit:	No information available No information available		
Vapor pressure	No information available		
Vapor density	No information available 1.05		
Specific gravity Water solubility	partially soluble		
Solubility in other solvents	No information available		
Partition coefficient Autoignition temperature	No information available No information available		
Decomposition temperature	No information available		
Kinematic viscosity Dynamic viscosity	No information available No information available		

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Acids. Strong oxidizing agents. Acetaldehyde. Aluminum compounds. Strong bases.

Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Causes serious eye damage Harmful by inhalation and if swallowed Irritating to skin	
Inhalation	Harmful by inhalation.	
Eye contact	Causes serious eye damage.	
Skin Contact	Irritating to skin.	
Ingestion	Harmful if swallowed.	

Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Benzyl Alcohol 100-51-6	= 1230 mg/kg(Rat)	= 2000 mg/kg (Rabbit)	= 8.8 mg/L (Rat)4 h
Dimethyl Glutarate 1119-40-0	= 8191 mg/kg(Rat)		> 5.6 mg/L (Rat)4 h
Dimethyl Adipate 627-93-0	= 1920 mg/kg(Rat)		
Alcohols, C9-11, ethoxylated 68439-46-3	= 1378 mg/kg(Rat)	> 2 g/kg (Rabbit)	
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit)= 1025 mg/kg (Rabbit)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Causes serious eye damage. Causes skin irritation. Harmful if swallowed. Harmful if inhaled.
Delayed and immediate effects a	s well as chronic effects from short and long-term exposure
Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSH

 Carcinogenicity
 This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

 Reproductive toxicity
 No information available.

STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 1809 mg/kg ATEmix (dermal) 3706 mg/kg mg/l ATEmix (inhalation-dust/mist) 3.1 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl Alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	-	23: 48 h water flea mg/L EC50
Dimethyl Glutarate 1119-40-0	-	19.6 - 26.2: 96 h Pimephales promelas mg/L LC50 static	_	122.1 - 163.5: 48 h Daphnia magna mg/L EC50
Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-	65: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient		
Benzyl Alcohol	1.1		
100-51-6			
Monoethanolamine	-1.91		
141-43-5			

Other adverse effects

No information available

Do not reuse container.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in ac regulations.

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Page 6/8

14. TRANSPORT INFORMATION

DOT

Not Regulated for all modes of transportation.

15. REGULATORY INFORMATION

International Inventories TSCA DSL/NDSL

Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65		
Methanol - 67-56-1	Developmental		
N,N-Diethanolamine - 111-42-2	Carcinogen		
Myrcene 85 - 123-35-3	Carcinogen		
Toluene - 108-88-3	Developmental		
Ethylene oxide - 75-21-8	Carcinogen Developmental Female Reproductive Male Reproductive		
Ethyl acrylate - 140-88-5	Carcinogen		

U.S. State Right-to-Know Regulations

Chemical name	New 、	New Jersey		lassachusetts	Pennsylvania				
Monoethanolamine 141-43-5	e 2	X	X		X				
16. OTHER INFORMATION									
<u>NFPA</u>	Health hazards 3	Flammability	1	Instability 0	Physical and chemical properties -				
HMIS	Health hazards 3	Flammability	1	Physical hazards	0 Personal protection X				
Prepared By Regulatory Department ssuing Date 06-Nov-2014									
Revision date	26-Aug-2	26-Aug-2019							
Revision Note									
SDS sections updated 4 6 7 8									
<u>Disclaimer</u>									
The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is									
believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to									

believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet