

Issuing Date 29-Jan-2015

Revision date 11-Dec-2024

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name

Enviro Klean® SafStrip® 8

Other means of identification Product Code(s)

Recommended use of the chemical and restrictions on useRecommended useRestricted to professional users.Uses advised againstNo information available

41030

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200 800-535-5053

Category 2A

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation

Label elements

	Emergency Overview	
Warning		
Hazard statements		
Causes serious eye irritation		
Appearance colorless	Physical state gel	Odor Characteristic

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing



If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC)

Other information

May be harmful if swallowed

May be harmful in contact with skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Benzyl Alcohol	100-51-6	10 - 30	*
3-Ethoxypropionic acid ethyl ester	763-69-9	10 - 30	*
4 Methyl, 1-3 Dioxolan 2 one	108-32-7	10 - 30	*
Dibasic Ester	Proprietary	10 - 30	*
Alcohols, C9-11, ethoxylated	Proprietary	3 - 7	*
Triethanolamine	102-71-6	1 - 5	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	Do not get in eyes, on skin, or on clothing.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.		
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a physician if necessary.		
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Call a physician.		
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Call a physician or poison control center immediately.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Causes serious eye irritation. May be harmful if swallowed.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective eq	uipment and emergency procedures		
Personal precautions	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.		
Environmental precautions			
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.		
Methods and material for containme	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.		
7. HANDLING AND STORAGE			
Precautions for safe handling			
Advice on safe handling	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep out of the reach of children. Keep container tightly closed in a dry and well-ventilated place.		
Incompatible materials	Acids. Strong oxidizing agents.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethanolamine 102-71-6	TWA: 5 mg/m ³		

NIOSH IDLH Immediately Dangerous to Life or Health

Other information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective gloves and protective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	Wash contaminated clothing before reuse. Handle in accordance with good industrial hygiene and safety practice.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	gel colorless colorless	Odor Odor threshold	Characteristic No information available
Property_	Values_	Remarks • Method	
рН	8.02		
Melting point / freezing point °F	No information available	Not Applicable	
Boiling point / boiling range	No information available		
Flash point	> 100 °C / > 212 °F	ASTM D 3278	
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	1.05		
Water solubility	partially soluble		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Acids. Strong oxidizing agents.

Hazardous decomposition products

Hazardous combustion products. Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Causes serious eye irritation May be harmful if swallowed
Inhalation	Avoid breathing vapors or mists.
Eye contact	Causes serious eye irritation.
Skin Contact	May be harmful in contact with skin. May cause irritation.
Ingestion	Do not taste or swallow. May be harmful if swallowed.

Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Benzyl Alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat)4 h
3-Ethoxypropionic acid ethyl ester 763-69-9	= 5 g/kg (Rat)	> 9500 mg/kg (Rabbit)	> 5.96 mg/L (Rat)6 h
4 Methyl, 1-3 Dioxolan 2 one 108-32-7	= 29000 mg/kg(Rat)	> 3000 mg/kg (Rabbit)	
Dibasic Ester	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5.6 mg/L (Rat)4 h
Alcohols, C9-11, ethoxylated	= 1400 mg/kg (Rat)		
Triethanolamine 102-71-6	= 4190 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Causes serious eye irritation. May be harmful if swallowed.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity	No information available. No information available.			
Carcinogenicity		low indicates whether each	agency has listed any ing	gredient as a carcinogen.
Chemical name	ACGIH	IARC	NTP	OSHA
Triethanolamine 102-71-6	-	Group 3	-	-
Legend IARC (International Agency Group 3 - Not Classifiable as				
Reproductive toxicity	No information available.			
STOT - single exposure	No information available.			
STOT - repeated exposure	No information available.			
Aspiration hazard	No information available.			
Numerical measures of toxic	city - Product Inform	nation		

Unknown acute toxicity The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 2642 mg/kg ATEmix (dermal) 3156 mg/kg mg/l ATEmix (inhalation-dust/mist) 5.2 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl Alcohol 100-51-6	-	10: 96 h Lepomis macrochirus mg/L LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	-	23: 48 h water flea mg/L EC50
3-Ethoxypropionic acid ethyl ester 763-69-9	-	62: 96 h Pimephales promelas mg/L LC50 static	-	970: 48 h Daphnia magna mg/L EC50
4 Methyl, 1-3 Dioxolan 2 one 108-32-7	500: 72 h Desmodesmus subspicatus mg/L EC50	1000: 96 h Cyprinus carpio mg/L LC50 semi-static	-	500: 48 h Daphnia magna mg/L EC50
Dibasic Ester	-	19.6 - 26.2: 96 h Pimephales promelas mg/L LC50 static	-	122.1 - 163.5: 48 h Daphnia magna mg/L EC50
Triethanolamine 102-71-6	169: 96 h Desmodesmus subspicatus mg/L EC50 216: 72 h Desmodesmus subspicatus mg/L EC50	10600 - 13000: 96 h Pimephales promelas mg/L LC50 flow-through 450 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 1000: 96 h Pimephales promelas mg/L LC50 static	-	-

Persistence and degradability No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Benzyl Alcohol 100-51-6	1.1
3-Ethoxypropionic acid ethyl ester 763-69-9	1.35
4 Methyl, 1-3 Dioxolan 2 one 108-32-7	0.48
Triethanolamine 102-71-6	-2.53

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

14. TRANSPORT INFORMATION

DOT

Not Regulated for all modes of transportation.

15. REGULATORY INFORMATION

International Inventories TSCA DSL/NDSL

Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
N,N-Diethanolamine - 111-42-2	Carcinogen	
Methanol - 67-56-1	Developmental	

U.S. State Right-to-Know Regulations

Chemical na	ame New .	Jersey	Massachusetts	Pennsylvania
Triethanolamine 102-71-6		x	X	X
		16. OTHER INFOR	MATION	
NFPA_	Health hazards 2	Flammability 1	Instability 0	Physical and chemica properties -
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection X
Prepared By ssuing Date Revision date Revision Note SDS sections update <u>Disclaimer</u> The information co	29-Jan-20 11-Dec-2 ed 7 10	024	piled from data considered a	occurate. This data is

believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet