



County Materials - Pavers

Executive Summary

Project No. 1806-01

Four types of concrete pavers were submitted to AMT Laboratories by PROSOCO, Inc. with a request to determine the most appropriate new construction cleaner. Additionally, the effectiveness of color/sheen enhancement, water repellent, and stain resistance products suitable for concrete pavers was evaluated.

The laboratory report (1806-01 PTP County Materials) provides information about the PROSOCO® products tested and descriptions of the test methods. The report includes test results as well as conclusions and recommendations. Recommendations are also provided in the charts below.

Recommendations: Cleaning

Sample	New Construction Cleaning
"Element Timeless" concrete pavers	Sure Klean® Custom Masonry Cleaner (1:4) or (1:6) OR Sure Klean® Light Duty Concrete Cleaner (1:2) or (1:3)
"Element Haven" concrete pavers	Sure Klean® Custom Masonry Cleaner (1:4) or (1:6) OR Sure Klean® Light Duty Concrete Cleaner (1:2) or (1:3)
"Element Reflection" concrete pavers	Sure Klean® Light Duty Concrete Cleaner (1:2) or (1:3)
"Element Homecoming" concrete pavers	Sure Klean® Custom Masonry Cleaner (1:4) or (1:6) OR Sure Klean® Light Duty Concrete Cleaner (1:2) or (1:3)

Recommendations: Color/Sheen Enhancement

Sample	Color Enhancement	Sheen Enhancement
"Element Timeless" concrete pavers	² PROSOCO DuraSheen OR ² PROSOCO Saltguard® OR ² Consolideck® Concrete Protector SB OR ¹ Paver Kare® Paver Enhancer OR ² Stand Off® Gloss 'N Guard WB OR ² Sure Klean® Weather Seal Siloxane WB Concentrate (1:9) OR ² Sure Klean® Weather Seal Color Enhancer WB	PROSOCO DuraSheen OR Stand Off® Gloss 'N Guard WB
"Element Haven" concrete pavers	¹ PROSOCO DuraSheen OR ² PROSOCO Saltguard® OR ² Consolideck® GuardEXT OR ¹ Paver Kare® Paver Enhancer OR ² Paver Kare® Deep Sheen WB OR ² Stand Off® Gloss 'N Guard WB OR ¹ Sure Klean® Weather Seal Color Enhancer WB	PROSOCO DuraSheen OR Consolideck® GuardEXT OR Stand Off® Gloss 'N Guard WB

NOTE: "1" indicates the most effective treatment and "2" indicates the second most effective treatment.



County Materials - Pavers

Executive Summary

Project No. 1806-01

Recommendations: Color/Sheen Enhancement (cont.)

<p>"Element Reflection" concrete pavers</p>	<p>¹PROSOCO DuraSheen OR ²Consolideck® GuardEXT OR ¹Paver Kare® Paver Enhancer OR ²Paver Kare® Deep Sheen WB OR ²Stand Off® Gloss 'N Guard WB OR ¹Sure Klean® Weather Seal Color Enhancer WB</p>	<p>PROSOCO DuraSheen OR Stand Off® Gloss 'N Guard WB</p>
<p>"Element Homecoming" concrete pavers</p>	<p>²PROSOCO® SLX100® Water & Oil Repellent OR ¹PROSOCO DuraSheen OR ²PROSOCO Saltguard® OR ²Consolideck® Concrete Protector SB OR ²Consolideck® GuardEXT OR ¹Paver Kare® Paver Enhancer OR ²Paver Kare® Deep Sheen WB OR ²Stand Off® Gloss 'N Guard WB OR ¹Sure Klean® Weather Seal Color Enhancer WB</p>	<p>PROSOCO DuraSheen OR Consolideck® GuardEXT OR Paver Kare® Deep Sheen WB OR Stand Off® Gloss 'N Guard WB</p>

NOTE: "1" indicates the most effective treatment and "2" indicates the second most effective treatment.

Recommendations: Water Repellency

Sample	Water Repellency
<p>"Element Timeless" concrete pavers</p>	<p>PROSOCO® SLX100® Water & Oil Repellent OR PROSOCO DuraSheen OR PROSOCO Saltguard® OR PROSOCO Saltguard® WB OR Consolideck® Concrete Protector WB OR Consolideck® Concrete Protector SB OR Consolideck® GuardEXT OR Paver Kare® Paver Enhancer OR Paver Kare® Deep Sheen WB OR Stand Off® Gloss 'N Guard WB OR Stand Off® Stone, Tile & Masonry Protector (STMP) OR Sure Klean® Weather Seal Siloxane WB Concentrate (1:9) OR Sure Klean® Weather Seal Color Enhancer WB</p>
<p>"Element Haven" concrete pavers</p>	<p>PROSOCO® SLX100® Water & Oil Repellent OR PROSOCO DuraSheen OR PROSOCO Saltguard® OR PROSOCO Saltguard® WB OR Consolideck® Concrete Protector WB OR Consolideck® Concrete Protector SB OR Consolideck® GuardEXT OR Paver Kare® Paver Enhancer OR Paver Kare® Deep Sheen WB OR Stand Off® Gloss 'N Guard WB OR Stand Off® Stone, Tile & Masonry Protector (STMP) OR Sure Klean® Weather Seal Siloxane WB Concentrate (1:9) OR Sure Klean® Weather Seal Color Enhancer WB</p>
<p>"Element Reflection" concrete pavers</p>	<p>PROSOCO® SLX100® Water & Oil Repellent OR PROSOCO DuraSheen OR PROSOCO Saltguard® OR PROSOCO Saltguard® WB OR Consolideck® Concrete Protector WB OR Consolideck® Concrete Protector SB OR Consolideck® GuardEXT OR Paver Kare® Paver Enhancer OR Paver Kare® Deep Sheen WB OR Stand Off® Gloss 'N Guard WB OR Stand Off® Stone, Tile & Masonry Protector (STMP) OR Sure Klean® Weather Seal Siloxane WB Concentrate (1:9) OR Sure Klean® Weather Seal Color Enhancer WB</p>
<p>"Element Homecoming" concrete pavers</p>	<p>PROSOCO® SLX100® Water & Oil Repellent OR PROSOCO DuraSheen OR PROSOCO Saltguard® OR PROSOCO Saltguard® WB OR Consolideck® Concrete Protector WB OR Consolideck® Concrete Protector SB OR Consolideck® GuardEXT OR Paver Kare® Paver Enhancer OR Paver Kare® Deep Sheen WB OR Stand Off® Gloss 'N Guard WB OR Stand Off® Stone, Tile & Masonry Protector (STMP) OR Sure Klean® Weather Seal Siloxane WB Concentrate (1:9) OR Sure Klean® Weather Seal Color Enhancer WB</p>



County Materials - Pavers

Executive Summary

Project No. 1806-01

Recommendations: Stain Resistance

Sample	Stain Repellent	Maintenance Cleaner
"Element Timeless" concrete pavers	PROSOCO® SLX100® Water & Oil Repellent OR PROSOCO DuraSheen OR Consolideck® Concrete Protector WB OR Consolideck® Concrete Protector SB OR Paver Kare® Deep Sheen WB OR Stand Off® Gloss 'N Guard WB OR Stand Off® Stone, Tile & Masonry Protector (STMP)	Enviro Klean® 2010 All Surface Cleaner (1:10)
"Element Haven" concrete pavers	PROSOCO® SLX100® Water & Oil Repellent OR PROSOCO DuraSheen OR Consolideck® Concrete Protector SB OR Paver Kare® Deep Sheen WB OR Stand Off® Gloss 'N Guard WB	
"Element Reflection" concrete pavers		
"Element Homecoming" concrete pavers		

Apply all products in accordance with the manufacturer's recommendation provided on container labels and product data sheets. On-site testing should be conducted to determine the most appropriate product and procedures for a particular project. See product literature for additional application and product information.