



Acme Brick Company
Fort Worth, TX
Executive Summary
 Project No. 1811-05

Three types of terracotta panels were submitted to AMT Laboratories by PROSOCO, Inc. with a request to determine the most appropriate new construction cleaner. Additionally, the effectiveness of color and sheen enhancement products, water repellent and graffiti resistance products, and stain repellent products suitable for the panels were evaluated.

The laboratory report (1811-05 PTP Acme Brick Company) provides information about the PROSOCO® products tested and descriptions of the test methods. The report includes test results as well as conclusions and recommendations. Recommendations are also provided in the chart below.

Recommendations:

Sample	New Construction Cleaning	Color and Sheen Enhancement	Water Repellency	Graffiti Resistance	Stain Repellency
"Terracotta"	Enviro Klean® Safety Klean (1:2) or (1:3) OR Sure Klean® Light Duty Concrete Cleaner (1:2) or (1:3) OR Sure Klean® Vana Trol® (1:6) or (1:8)	Sure Klean® Weather Seal Gloss 'N Guard WB	Sure Klean® Weather Seal Blok-Guard® & Graffiti Control OR Sure Klean® Weather Seal Blok-Guard® & Graffiti Control II OR PROSOCO® SL100 Water Repellent OR PROSOCO® SLX100® Water & Oil Repellent	<p style="text-align: center;"><u>Graffiti Repellent</u></p> ¹ Sure Klean® Weather Seal Blok-Guard® & Graffiti Control OR ² Sure Klean® Weather Seal Blok-Guard® & Graffiti Control II <p style="text-align: center;"><u>Graffiti Removers</u></p> ¹ Defacer Eraser® Graffiti Remover OR ² Enviro Klean® SafStrip® 8	<p style="text-align: center;"><u>Stain Repellent</u></p> Sure Klean® Weather Seal Gloss 'N Guard WB (Recommended if color and sheen enhancement is desired) OR PROSOCO® SLX100® Water & Oil Repellent <p style="text-align: center;"><u>Maintenance Cleaner</u></p> Enviro Klean® 2010 All Surface Cleaner (1:10)
"Sable"					
"Linen"					

NOTE: "1" indicates the most effective product and "2" indicates the second most effective product.

Apply all products in accordance with the manufacturer's recommendation provided on container labels and product data sheets. On-site testing should be conducted to determine the most appropriate product and procedures for a particular project. See product literature for additional application and product information.