# SAFETY DATA SHEET



Issuing Date 02-Sep-2014 Revision date 27-Jun-2025

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name PROSOCO R-GUARD® EMERGENCY WaterStop

Other means of identification

Product Code(s) 70460

Recommended use of the chemical and restrictions on use

Recommended use
Uses advised against
Restricted to professional users.
No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

**8:00 AM – 5:00 PM CST Monday-Friday** 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

### 2. HAZARDS IDENTIFICATION

### Classification

Skin sensitization	Category 1B
Reproductive toxicity	Category 1B

#### Label elements

### **Emergency Overview**

#### Danger

#### Hazard statements

May cause an allergic skin reaction May damage fertility or the unborn child





Appearance viscous

Physical state paste

Odor Mild

### **Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Avoid breathing dust/fume/gas/mist/vapors/spray

### 70460 PROSOCO R-GUARD® EMERGENCY WaterStop

Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

### **Precautionary Statements - Storage**

Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

### Other information

- · May be harmful in contact with skin
- · Harmful to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Limestone	1317-65-3	15 - 40	*
Precipitated Calcium Carbonate	471-34-1	10 - 30	*
Proprietary - Silyl Terminated Polymer	Undisclosed	10 - 30	*
Stearic acid	57-11-4	1 - 5	*
Aminoethyl aminopropyl trimethoxy silane	1760-24-3	1 - 5	*
Vinyltrimethoxysilane	2768-02-7	1 - 5	*
Titanium dioxide	13463-67-7	1 - 5	*
Dibutyltin Diacetyldiacetonate	22673-19-4	0.1 - 1	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

### **Description of first aid measures**

**General advice** If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin Contact** Wipe off material with a dry cloth. Wash with soap and water. If skin irritation persists, call a

physician.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Call a physician.

**Self-protection of the first aider**Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause irritation.

#### Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

**Environmental precautions** 

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. See Section 12 for additional ecological

information.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Clean contaminated surface thoroughly. Use personal protective equipment as required.

Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material.

Take up mechanically, placing in appropriate containers for disposal.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wash contaminated clothing before reuse.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

**Incompatible materials**None known based on information supplied.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Exposure Guidelliles			
Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone		TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup> total dust
1317-65-3		TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust

		(vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	
Precipitated Calcium Carbonate 471-34-1			TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Stearic acid 57-11-4	TWA: 10 mg/m³ inhalable particulate matter TWA: 3 mg/m³ respirable particulate matter		
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m³ TWA: 2.4 mg/m³ CIB 63 fine TWA: 0.3 mg/m³ CIB 63 ultrafine, including engineered nanoscale
Dibutyltin Diacetyldiacetonate 22673-19-4	STEL: 0.2 mg/m³ Sn TWA: 0.1 mg/m³ Sn S*	TWA: 0.1 mg/m³ Sn (vacated) TWA: 0.1 mg/m³ Sn (vacated) S*	IDLH: 25 mg/m³ Sn TWA: 0.1 mg/m³ except Cyhexatin Sn

NIOSH IDLH Immediately Dangerous to Life or Health

Other information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** None under normal use conditions.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin and body protection Gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state paste

Appearance viscous Odor Mild

**Color** blue **Odor threshold** No information available

PropertyValuesRemarks • MethodpHNot ApplicableNot Applicable

pH Not Applicable
Melting point / freezing point °F No information available

Boiling point / boiling rangeNo information availableFlash point> 100 °C / > 212 °FEvaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific gravity 1.5-1.7

Water solubility Insoluble in water
Solubility in other solvents No information available

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity

No information available No information available No information available No information available No information available

### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to avoid**

None known based on information supplied.

#### **Incompatible materials**

None known based on information supplied.

### **Hazardous decomposition products**

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information No data available

**Inhalation** Avoid breathing vapors or mists.

**Eye contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Ingestion** Do not taste or swallow.

**Component Information** 

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Precipitated Calcium Carbonate	= 6450 mg/kg (Rat)		
471-34-1			
Stearic acid	= 4600 mg/kg (Rat)		
57-11-4			
Aminoethyl aminopropyl trimethoxy	= 2413 mg/kg (Rat)		
silane			
1760-24-3			
Vinyltrimethoxysilane	= 7340 μL/kg (Rat)		
2768-02-7			
Titanium dioxide	> 10000 mg/kg (Rat)		
13463-67-7			

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause allergic skin reaction.

Germ cell mutagenicity

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. \*
Titanium Dioxide has been associated with lung cancer where the exposure is to the

product (cured and uncured), exposures are not expected.

respirable, dry powder form of the material. However, due to the physical nature of this

Chemical name	ACGIH	IARC	N	NTP	OSHA
Titanium dioxide	-	2B		-	X
13463-67-7					

### Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** May damage fertility or the unborn child.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.

#### Numerical measures of toxicity - Product Information

#### Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 6943 mg/kg
ATEmix (dermal) 3095 mg/kg mg/l
ATEmix (inhalation-dust/mist) 125 mg/l

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Vinyltrimethoxysilane 2768-02-7	-	191: 96 h Oncorhynchus mykiss mg/L LC50 not specified	-	-
Dibutyltin Diacetyldiacetonate 22673-19-4	-	2: 96 h Oryzias latipes mg/L LC50 semi-static	-	-

## Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

### 14. TRANSPORT INFORMATION

DOT

Not Regulated for all modes of transportation.

### 15. REGULATORY INFORMATION

# International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Limestone	X	X	X
1317-65-3			
Titanium dioxide	X	X	X
13463-67-7			

# **16. OTHER INFORMATION**

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and chemical

properties -

Health hazards 1 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

Issuing Date 02-Sep-2014
Revision date 02-Sep-2014
27-Jun-2025

**Revision Note** 

SDS sections updated 2 3 4 9 11 12

#### Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**