

# SAFETY DATA SHEET

## PROSOCO, Inc.



PROSOCO  
Version 3.01

Issue Date 06-Aug-2014

Revision Date 07-Apr-2015

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Product identifier

Product Name Sure Klean® 600

#### Other means of identification

Product Code 10020  
UN/ID No UN3264

#### Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.  
Uses advised against No information available

#### Details of the supplier of the safety data sheet

##### Manufacturer Address

PROSOCO, Inc.  
3741 Greenway Circle  
Lawrence, Kansas 66046

##### Emergency telephone number

8:00 AM – 5:00 PM CST Monday-Friday 785-865-4200  
NON-BUSINESS HOURS (INFOTRAC) 800-535-5053

### 2. HAZARDS IDENTIFICATION

#### Classification

|  |                           |
|--|---------------------------|
| Acute toxicity - Inhalation (Gases)              | Category 4                |
| Acute toxicity - Inhalation (Dusts/Mists)        | Category 2                |
| Skin corrosion/irritation                        | Category 1 Sub-category B |
| Serious eye damage/eye irritation                | Category 1                |
| Specific target organ toxicity (single exposure) | Category 3                |

#### Label elements

#### Emergency Overview

Danger

#### Hazard statements

Fatal if inhaled  
Causes severe skin burns and eye damage  
May cause respiratory irritation



Appearance clear

Physical state Liquid

Odor Pungent

**Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Wear respiratory protection  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor/physician  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician if you feel unwell  
 Immediately call a POISON CENTER or doctor/physician  
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed  
 Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other Information**

- May be harmful if swallowed

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name     | CAS No    | Weight-% | Trade Secret |
|-------------------|-----------|----------|--------------|
| Water             | 7732-18-5 | 60 - 100 | *            |
| Hydrogen Chloride | 7647-01-0 | 10 - 30  | *            |

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures**

|                       |  |
|-----------------------|--|
| <b>General advice</b> | Immediate medical attention is required.   |
| <b>Eye contact</b>    | Keep eye wide open while rinsing. Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area.                                      |
| <b>Skin Contact</b>   | Immediate medical attention is required. Remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before reuse.                                       |
| <b>Inhalation</b>     | Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.   |
| <b>Ingestion</b>      | Call a physician or poison control center immediately. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Remove from exposure, lie down. Never give anything by mouth to an unconscious person. |

**Self-protection of the first aider** Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** The product causes burns of eyes, skin and mucous membranes.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions**

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

**Methods for cleaning up** Soak up with inert absorbent material. Prevent product from entering drains. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers.

**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

| Chemical Name                  | ACGIH TLV      | OSHA PEL   | NIOSH IDLH   |
|--------------------------------|----------------|--|--|
| Hydrogen Chloride<br>7647-01-0 | Ceiling: 2 ppm | (vacated) Ceiling: 5 ppm<br>(vacated) Ceiling: 7 mg/m <sup>3</sup><br>Ceiling: 5 ppm<br>Ceiling: 7 mg/m <sup>3</sup> | IDLH: 50 ppm<br>Ceiling: 5 ppm<br>Ceiling: 7 mg/m <sup>3</sup> |

*NIOSH IDLH Immediately Dangerous to Life or Health*

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

**Engineering Controls** Showers. Eyewash stations. Ventilation systems. Application equipment, scaffolding, swing stages and support systems must be constructed of acid resistant materials. Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                                     |                          |                         |                          |
|-------------------------------------|--------------------------|-------------------------|--------------------------|
| <b>Physical state</b>               | Liquid                   | <b>Odor</b>             | Pungent                  |
| <b>Appearance</b>                   | clear                    | <b>Odor threshold</b>   | No information available |
| <b>Color</b>                        | Slight amber             |                         |                          |
| <b>Property</b>                     | <b>Values</b>            | <b>Remarks • Method</b> |                          |
| <b>pH</b>                           | 0.1                      | @ 1:9 Dilution          |                          |
| <b>Melting point/freezing point</b> | -30 °C / -22 °F          |                         |                          |
| <b>Boiling point/boiling range</b>  | No information available |                         |                          |
| <b>Flash point</b>                  |                          | Not Applicable          |                          |
| <b>Evaporation rate</b>             | No information available |                         |                          |
| <b>Flammability (solid, gas)</b>    | No information available |                         |                          |
| <b>Flammability Limits in Air</b>   |                          |                         |                          |

|                                     |                          |
|-------------------------------------|--------------------------|
| <b>Upper flammability limits</b>    | No information available |
| <b>Lower flammability limit</b>     | No information available |
| <b>Vapor pressure</b>               | No information available |
| <b>Vapor density</b>                | No information available |
| <b>Specific Gravity</b>             | 1.13                     |
| <b>Water solubility</b>             | completely soluble       |
| <b>Solubility in other solvents</b> | No information available |
| <b>Partition coefficient</b>        | No information available |
| <b>Autoignition temperature</b>     | No information available |
| <b>Decomposition temperature</b>    | No information available |
| <b>Kinematic viscosity</b>          | No information available |
| <b>Dynamic viscosity</b>            | No information available |

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

Exposure to air or moisture over prolonged periods.

### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals.

### Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

|                            |  |
|----------------------------|--|
| <b>Product Information</b> | Corrosive Harmful by inhalation, in contact with skin and if swallowed |
| <b>Inhalation</b>          | Avoid breathing vapors or mists. Harmful by inhalation.                |
| <b>Eye contact</b>         | Corrosive to the eyes and may cause severe damage including blindness. |
| <b>Skin Contact</b>        | Corrosive. Causes severe burns.  |
| <b>Ingestion</b>           | Harmful if swallowed. Can burn mouth, throat, and stomach.             |

### Component Information

| Chemical Name                  | Oral LD50           | Dermal LD50             | Inhalation LC50        |
|--------------------------------|---------------------|-------------------------|------------------------|
| Water<br>7732-18-5             | > 90 mL/kg ( Rat )  | -                       | -                      |
| Hydrogen Chloride<br>7647-01-0 | = 700 mg/kg ( Rat ) | > 5010 mg/kg ( Rabbit ) | = 3124 ppm ( Rat ) 1 h |

### Information on toxicological effects

**Symptoms** The product causes burns of eyes, skin and mucous membranes.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

|                                 |  |
|---------------------------------|--|
| <b>Reproductive toxicity</b>    | No information available.  |
| <b>STOT - single exposure</b>   | No information available.  |
| <b>STOT - repeated exposure</b> | No information available.  |
| <b>Chronic toxicity</b>         | Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. |
| <b>Target Organ Effects</b>     | Eyes, Respiratory system, Skin.  |
| <b>Aspiration hazard</b>        | Risk of serious damage to the lungs (by aspiration).   |

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

|                                      |             |
|--------------------------------------|-------------|
| <b>ATEmix (oral)</b>                 | 2625 mg/kg  |
| <b>ATEmix (dermal)</b>               | 18785 mg/kg |
| <b>ATEmix (inhalation-gas)</b>       | 5857 mg/l   |
| <b>ATEmix (inhalation-dust/mist)</b> | 0.2 mg/l    |

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

| Chemical Name                  | Algae/aquatic plants | Fish  | Toxicity to microorganisms | Crustacea |
|--------------------------------|----------------------|---|----------------------------|-----------|
| Hydrogen Chloride<br>7647-01-0 | -                    | 282: 96 h <i>Gambusia affinis</i><br>mg/L LC50 static | -                          | -         |

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

**Other adverse effects**

No information available

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

|                               |   |
|-------------------------------|---|
| <b>Disposal of wastes</b>     | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| <b>Contaminated packaging</b> | Do not reuse container.   |
| <b>US EPA Waste Number</b>    | D002  |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## 14. TRANSPORT INFORMATION

|                             |   |
|-----------------------------|---|
| <b>DOT</b>                  | Regulated   |
| <b>UN/ID No</b>             | UN3264  |
| <b>Proper shipping name</b> | Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric Acid) |
| <b>Hazard Class</b>         | 8   |
| <b>Packing Group</b>        | II  |

**15. REGULATORY INFORMATION**

**International Inventories**

**TSCA** Complies  
**DSL/NDSL** Complies

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*  
*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name                 | CAS No    | Weight-% | SARA 313 - Threshold Values % |
|-------------------------------|-----------|----------|-------------------------------|
| Hydrogen Chloride - 7647-01-0 | 7647-01-0 | 10 - 30  | 1.0                           |

**SARA 311/312 Hazard Categories**

**Acute health hazard** Yes  
**Chronic Health Hazard** Yes  
**Fire hazard** No  
**Sudden release of pressure hazard** No  
**Reactive Hazard** No

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name                  | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Hydrogen Chloride<br>7647-01-0 | 5000 lb                     | -                      | -                         | X                          |

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name                  | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ)                   |
|--------------------------------|--------------------------|----------------|--|
| Hydrogen Chloride<br>7647-01-0 | 5000 lb                  | 5000 lb        | RQ 5000 lb final RQ<br>RQ 2270 kg final RQ |

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

| Chemical Name                  | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Hydrogen Chloride<br>7647-01-0 | X          | X             | X            |

**16. OTHER INFORMATION**

---

|             |                  |                |                    |                                    |
|-------------|------------------|----------------|--------------------|------------------------------------|
| <u>NFPA</u> | Health hazards 3 | Flammability 0 | Instability 0      | Physical and Chemical Properties - |
| <u>HMIS</u> | Health hazards 3 | Flammability 0 | Physical hazards 0 | Personal protection X              |

Prepared By Regulatory Department  
Issue Date 06-Aug-2014  
Revision Date 07-Apr-2015

**Revision Note**

SDS sections updated 11 15

**Disclaimer**

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**