SAFETY DATA SHEET



Issuing Date 19-Jan-2015 Revision date 15-Nov-2023

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Sure Klean® Dicone NC9

Other means of identification

Product Code(s) 25001 UN number UN3265

Recommended use of the chemical and restrictions on use

Recommended use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)785-865-4200
800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Aspiration hazard	Category 1
Flammable liquids	Category 4

Label elements

Emergency Overview

Danger

Hazard statements

Causes skin irritation Causes serious eye damage May be fatal if swallowed and enters airways Combustible liquid



Appearance colored Physical state Liquid Odor Petroleum

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from flames and hot surfaces. - No smoking

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- · May be harmful if swallowed
- · May be harmful in contact with skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Distillates petroleum, hyrotreated light	64742-47-8	60 - 100	*
Sulfonic acid	Proprietary	5 - 10	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice Immediate medical attention is required.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub

affected area. Immediate medical attention is required.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Inhalation Call a physician or poison control center immediately. Remove to fresh air. Move to fresh air

in case of accidental inhalation of vapors or decomposition products. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water and drink afterwards plenty of water. Call a physician or poison control

center immediately.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms The product causes burns of eyes, skin and mucous membranes. ASPIRATION HAZARD

IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Keep product and empty container away from heat and sources of ignition. Risk of ignition. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Evacuate personnel to safe areas. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against

static discharges.

Environmental precautions

Environmental precautions Should not be released into the environment. Do not allow into any sewer, on the ground or

into any body of water. Prevent further leakage or spillage if safe to do so. See Section 12

for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Use clean non-sparking tools to collect

absorbed material. Pick up and transfer to properly labeled containers. Take precautionary

measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Use personal

protective equipment as required. Ensure adequate ventilation, especially in confined areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep away from heat. Keep in properly labeled

containers. Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidizing agents. Strong bases. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Showers **Engineering Controls**

> Eyewash stations Ventilation systems.

Brush on or apply at the lowest practical pressure. Do not atomize during application.

Beware of wind drift.

Proper work practices and planning should be utilized to avoid contact with workers,

passersby, and non-masonry surfaces.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular **General Hygiene Considerations**

> cleaning of equipment, work area and clothing is recommended. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

> > Odor

Tag Closed Cup

Petroleum

and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** colored

Color brown Odor threshold No information available

Property Values Remarks • Method pH Range 0-1

рΗ

-30 °C / -22 °F Melting point / freezing point °F

Boiling point / boiling range No information available

Flash point 87 °C / 189 °F **Evaporation rate** No information available No information available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Specific gravity 0.810

Water solubility partially soluble

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods. Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Corrosive Causes severe skin burns and eye damage Harmful by skin contact

Inhalation Avoid breathing vapors or mists.

Eye contact Avoid contact with eyes. Causes serious eye damage.

Skin Contact Avoid contact with skin. Corrosive. Causes severe burns.

Ingestion Do not taste or swallow. Potential for aspiration if swallowed.

Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Distillates petroleum, hyrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
64742-47-8			
Sulfonic acid	= 775 mg/kg(Rat)	= 2000 mg/kg (Rabbit)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms The product causes burns of eyes, skin and mucous membranes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.

Revision date 15-Nov-2023

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 3437 mg/kg
ATEmix (dermal) 2013 mg/kg mg/l
ATEmix (inhalation-dust/mist) 138.9 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates petroleum,	-	2.2: 96 h Lepomis	-	-
hyrotreated light		macrochirus mg/L LC50		
64742-47-8		static 2.4: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static 45: 96 h		
		Pimephales promelas mg/L		
		LC50 flow-through		
Sulfonic acid	-	3: 96 h Oncorhynchus	-	2.9: 48 h Daphnia magna
		mykiss mg/L LC50 static		mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	me Partition coefficient	
Sulfonic acid	2	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D002

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT Regulated UN3265 **UN** number

Corrosive liquid, acidic, organic, n.o.s. (Sulfonic Acid) **UN proper shipping name**

Transport hazard class(es) Packing group Ш

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA DSL/NDSL** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes **Chronic Health Hazard** No Fire hazard Yes Sudden release of pressure hazard No **Reactive Hazard** No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

California Proposition 65

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric Acid	X	X	X
7664-93-9			

16. OTHER INFORMATION

Health hazards 3 Flammability 2 Instability 0 NFPA Physical and chemical

properties -

HMIS **Health hazards** 3 Flammability 2 Physical hazards 0 Personal protection X

Regulatory Department Prepared By

Issuing Date19-Jan-2015Revision date15-Nov-2023

Revision Note

SDS sections updated 2 6 7 11

Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet