

SAFETY DATA SHEET



PROSOCO
Revision Number 2.01

Issuing Date 25-Nov-2014

Revision date 26-Feb-2019

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Sure Klean® Light Duty Restoration Cleaner

Other means of identification

Product Code(s) 20039
UN number UN 1760

Recommended use of the chemical and restrictions on use

Recommended use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

PROSOCO, Inc.
3741 Greenway Circle
Lawrence, Kansas 66046

Emergency telephone number

8:00 AM – 5:00 PM CST Monday-Friday 785-865-4200
NON-BUSINESS HOURS (INFOTRAC) 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Reproductive toxicity	Category 1B

Label elements

Emergency Overview

Danger

Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment

Hazard statements

Harmful if swallowed
Toxic in contact with skin
Causes severe skin burns and eye damage
May damage fertility or the unborn child



Appearance clear	Physical state Paste/Gel Liquid	Odor No information available
-------------------------	--	--------------------------------------

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician
 Specific treatment (see TREATMENT FOR HYDROFLUORIC ACID EXPOSURE on this label on this label)
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a POISON CENTER or doctor/physician
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth
 Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other information****3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	40 - 70	*
Glycolic Acid	79-14-1	10 - 30	*
sulfamic acid	5329-14-6	7 - 13	*
Xanthan gum	11138-66-2	1 - 5	*
quaternary ammonium compounds, coco alkylbis (hydroxyethyl)methyl, ethoxylated, chlorides	61791-10-4	1 - 5	*
Alcohols, C9-11, ethoxylated	68439-46-3	1 - 5	*
Hydrogen Fluoride	7664-39-3	0.1 - 1	*
Methoxyacetic acid	625-45-6	0.1 - 1	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**Description of first aid measures****General advice**

Immediate medical attention is required. If symptoms persist, call a physician.

Eye contact

Immediate medical attention is required. Keep eye wide open while rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Rinse the eyes with a calcium gluconate 1% solution. Do not rub affected area.

Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediately apply calcium gluconate gel 2.5% and massage into the affected area using rubber gloves; continue to massage while repeatedly applying gel until 15 minutes after pain is relieved.
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water. Remove from exposure, lie down. Call a physician or poison control center immediately.
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms	Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment. The product causes burns of eyes, skin and mucous membranes.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.
---------------------------	---

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use. Dry chemical. Carbon dioxide (CO₂). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.
-----------------------------	---

Environmental precautions

Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.
--------------------------------	--

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation, especially in confined areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen Fluoride 7664-39-3	TWA: 0.5 ppm F TWA: 2.5 mg/m ³ F S* Ceiling: 2 ppm F	TWA: 3 ppm F TWA: 2.5 mg/m ³ F TWA: 2.5 mg/m ³ dust (vacated) TWA: 3 ppm F (vacated) TWA: 2.5 mg/m ³ (vacated) STEL: 6 ppm F	IDLH: 30 ppm Ceiling: 6 ppm 15 min Ceiling: 5 mg/m ³ 15 min TWA: 3 ppm TWA: 2.5 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems. Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Paste/Gel Liquid	Odor	No information available
Appearance	clear	Odor threshold	No information available
Color	colorless		
Property	Values	Remarks • Method	
pH	1.5		
Melting point / freezing point °F	-15 °C / 5 °F		
Boiling point / boiling range	No information available		
Flash point		Not Applicable	
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	1.122		
Water solubility	completely soluble		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	Not an explosive		
Oxidizing properties	Not Applicable		

10. STABILITY AND REACTIVITY**Reactivity**

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Strong bases.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Product Information	Corrosive Harmful by inhalation, in contact with skin and if swallowed
Inhalation	Avoid breathing vapors or mists. Harmful by inhalation.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact	Corrosive. Causes burns. Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment.
Ingestion	Harmful if swallowed. Can burn mouth, throat, and stomach.

Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)		
Glycolic Acid 79-14-1	= 1950 mg/kg (Rat)		= 7.7 mg/L (Rat) 4 h
sulfamic acid 5329-14-6	= 1450 mg/kg (Rat)		
quaternary ammonium compounds, coco alkylbis (hydroxyethyl)methyl, ethoxylated, chlorides 61791-10-4	= 580 mg/kg (Rat)		
Alcohols, C9-11, ethoxylated 68439-46-3	= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	
Hydrogen Fluoride 7664-39-3			= 850 mg/m ³ (Rat) 1 h = 1276 ppm (Rat) 1 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	The product causes burns of eyes, skin and mucous membranes. Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment.
-----------------	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information**Unknown acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	598 mg/kg
ATEmix (dermal)	666 mg/kg mg/l
ATEmix (inhalation-dust/mist)	5.9 mg/l

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Glycolic Acid 79-14-1	-	5000: 96 h Brachydanio rerio mg/L LC50 static	-	-
sulfamic acid 5329-14-6	-	14.2: 96 h Pimephales promelas mg/L LC50 static	-	-
Hydrogen Fluoride 7664-39-3	-	660: 48 h Leuciscus idus mg/L LC50	-	270: 48 h Daphnia species mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Glycolic Acid 79-14-1	-1.11
Hydrogen Fluoride 7664-39-3	-1.4

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods**Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

US EPA Waste Number

D002

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT**UN number**

Regulated

UN 1760

UN proper shipping name

Corrosive liquid, n.o.s. (Hydroxyacetic & Sulfamic Acid)

Transport hazard class(es)

8

Packing group

II

15. REGULATORY INFORMATION

International Inventories**TSCA**

Complies

DSL/NDSL

Complies

Legend:*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List***US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen Fluoride 7664-39-3	100 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Fluoride 7664-39-3	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
sulfamic acid 5329-14-6	X	-	-
Formic acid 64-18-6	X	X	X

16. OTHER INFORMATION

NFPA	Health hazards 3	Flammability 0	Instability 0	Physical and chemical properties -
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection X

Prepared By Regulatory Department
 Issuing Date 25-Nov-2014
 Revision date 26-Feb-2019

Revision Note
 SDS sections updated
 2 4 5 6 7 10 11

Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet