# SAFETY DATA SHEET



Issuing Date 25-Nov-2014 Revision date 02-Oct-2018

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Sure Klean® Restoration Cleaner

Other means of identification

Product Code(s) 20030 UN number UN2922

Recommended use of the chemical and restrictions on use

Recommended use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

**8:00** AM – **5:00** PM CST Monday-Friday 785-865-4200 NON-BUSINESS HOURS (INFOTRAC) 800-535-5053

### 2. HAZARDS IDENTIFICATION

### Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 2
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

### Label elements

### **Emergency Overview**

# Danger

Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment

#### Hazard statements

Toxic if swallowed or if inhaled

Fatal in contact with skin

Causes severe skin burns and eye damage

May cause damage to organs through prolonged or repeated exposure



Appearance clear Physical state Liquid Odor Irritating

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

# **Precautionary Statements - Response**

Specific treatment (see TREATMENT FOR HYDROFLUORIC ACID EXPOSURE on this label)

Specific measures (see TREATMENT FOR HYDROFLUORIC ACID EXPOSURE on this label)

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see TREATMENT FOR HYDROFLUORIC ACID EXPOSURE on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

Immediately call a POISON CENTER or doctor/physician

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	60 - 100	*
Hydrogen Fluoride	7664-39-3	3 - 7	*
Phosphoric Acid	7664-38-2	1 - 5	*
Glycolic Acid	79-14-1	1 - 5	*
Ethylene Glycol	107-21-1	1 - 5	*
Nonionic Surfactant	Proprietary	1 - 5	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### Description of first aid measures

General advice Immediate medical attention is required.

Eye contact Keep eye wide open while rinsing. Immediate medical attention is required. Rinse

immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub

affected area. Rinse the eyes with a calcium gluconate 1% solution.

**Skin Contact** Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. Immediately apply calcium gluconate gel 2.5% and massage into the affected area using rubber gloves;continue to

massage while repeatedly applying gel until 15 minutes after pain is relieved.

**Inhalation** Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. Immediate medical attention is required. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

**Self-protection of the first aider**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

Symptoms Burns from this product may not be immediately painful or evident. Exposures require

fluoride specific treatment. The product causes burns of eyes, skin and mucous

membranes.

### Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

# 5. FIRE-FIGHTING MEASURES

# **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

### Environmental precautions

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains. See Section 12 for additional ecological information.

### Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal. Cover powder spill with plastic sheet or tarp to minimize spreading.

**Methods for cleaning up**Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly. After cleaning, flush away traces with

water.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation,

wear suitable respiratory equipment.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place. Keep in properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong

reducing agents. Metals.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen Fluoride	TWA: 0.5 ppm F TWA: 2.5 mg/m <sup>3</sup>	TWA: 3 ppm F TWA: 2.5 mg/m <sup>3</sup> F	IDLH: 30 ppm
7664-39-3	F	TWA: 2.5 mg/m <sup>3</sup> dust	Ceiling: 6 ppm 15 min
	S*	(vacated) TWA: 3 ppm F	Ceiling: 5 mg/m <sup>3</sup> 15 min
	Ceiling: 2 ppm F	(vacated) TWA: 2.5 mg/m <sup>3</sup>	TWA: 3 ppm
		(vacated) STEL: 6 ppm F	TWA: 2.5 mg/m <sup>3</sup>
Phosphoric Acid	STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup>
7664-38-2	TWA: 1 mg/m <sup>3</sup>	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
		(vacated) STEL: 3 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>
Ethylene Glycol	Ceiling: 100 mg/m <sup>3</sup> aerosol only	(vacated) Ceiling: 50 ppm	
107-21-1		(vacated) Ceiling: 125 mg/m <sup>3</sup>	

NIOSH IDLH Immediately Dangerous to Life or Health

Other information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

### **Appropriate engineering controls**

**Engineering Controls** Showers. Eyewash stations. Ventilation systems. Brush on or apply at the lowest practical

pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry

surfaces.

### Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, Skin and body protection

as appropriate, to prevent skin contact.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Liquid Physical state **Appearance** clear Odor Irritating

Color colorless Odor threshold No information available

Property Values Remarks • Method

> No information available No information available

2.20 Ha

Melting point / freezing point °F No information available

Boiling point / boiling range No information available

Flash point

**Evaporation rate** 

Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available No information available Vapor density

Specific gravity

Water solubility Solubility in other solvents Partition coefficient **Autoignition temperature Decomposition temperature** Kinematic viscosity

1.050 completely soluble No information available No information available

@ 1:3 Dilution

Not Applicable

Not Applicable

# 10. STABILITY AND REACTIVITY

### Reactivity

No data available

**Dynamic viscosity** 

# Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

Heat.

#### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong reducing agents. Metals.

#### Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information Corrosive Fatal if swallowed Fatal in contact with skin May be fatal if inhaled

**Inhalation** Avoid breathing vapors or mists. Poison - may be fatal if inhaled.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

**Skin Contact** May be fatal if absorbed through skin. Causes severe burns.

**Ingestion** May be fatal if swallowed.

**Component Information** 

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)		
Hydrogen Fluoride 7664-39-3			= 850 mg/m <sup>3</sup> (Rat) 1 h = 1276 ppm (Rat) 1 h
Phosphoric Acid 7664-38-2	= 1530 mg/kg (Rat)	= 2730 mg/kg ( Rabbit )	> 850 mg/m³ (Rat) 1 h
Glycolic Acid 79-14-1	= 1950 mg/kg (Rat)		= 7.7 mg/L (Rat) 4 h
Ethylene Glycol 107-21-1	= 4000 mg/kg (Rat)	= 9530 μL/kg (Rabbit)	
Nonionic Surfactant	= 4190 mg/kg (Rat)		

# Symptoms related to the physical, chemical and toxicological characteristics

Symptoms The product causes burns of eyes, skin and mucous membranes. Burns from this product

may not be immediately painful or evident. Exposures require fluoride specific treatment.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.Reproductive toxicityNo information available.STOT - single exposureNo information available.

STOT - repeated exposure Target Organs.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Target organ effects central nervous system, Eyes, Respiratory system, Skin.

Aspiration hazard No information available.

#### Numerical measures of toxicity - Product Information

# Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 99 mg/kg

 ATEmix (dermal)
 99 mg/kg

 ATEmix (inhalation-gas)
 9605 mg/l

ATEmix (inhalation-dust/mist) 0.8 mg/l

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrogen Fluoride 7664-39-3	-	660: 48 h Leuciscus idus mg/L LC50	-	270: 48 h Daphnia species mg/L EC50
Phosphoric Acid 7664-38-2	-	3 - 3.5: 96 h Gambusia affinis mg/L LC50	-	4.6: 12 h Daphnia magna mg/L EC50
Glycolic Acid 79-14-1	-	5000: 96 h Brachydanio rerio mg/L LC50 static	-	-
Ethylene Glycol 107-21-1	6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50	41000: 96 h Oncorhynchus mykiss mg/L LC50 14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static	-	46300: 48 h Daphnia magna mg/L EC50

# Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
Hydrogen Fluoride 7664-39-3	-1.4
Glycolic Acid 79-14-1	-1.11
Ethylene Glycol 107-21-1	-1.93

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

US EPA Waste Number D002

# **14. TRANSPORT INFORMATION**

DOTRegulatedUN numberUN2922

**UN proper shipping name** Corrosive liquid, toxic, n.o.s. (Hydrofluoric and Phosphoric Acid)

Transport hazard class(es) 8
Subsidiary class (6.1)
Packing group

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Hydrogen Fluoride - 7664-39-3	7664-39-3	3 - 7	1.0
Ethylene Glycol - 107-21-1	107-21-1	1 - 5	1.0

# SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

# **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen Fluoride 7664-39-3	100 lb	-	-	Х
Phosphoric Acid 7664-38-2	5000 lb	-	-	Х

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Fluoride	100 lb	100 lb	RQ 100 lb final RQ
7664-39-3			RQ 45.4 kg final RQ
Phosphoric Acid	5000 lb	<del>-</del>	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ
Ethylene Glycol	5000 lb	<del>-</del>	RQ 5000 lb final RQ
107-21-1			RQ 2270 kg final RQ

# **US State Regulations**

# **California Proposition 65**

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Phosphoric Acid 7664-38-2	X	X	X
Ethylene Glycol 107-21-1	Х	X	X

# **16. OTHER INFORMATION**

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and chemical

properties -

Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

Issuing Date 25-Nov-2014
Revision date 25-Nov-2018

**Revision Note** 

No information available

**Disclaimer** 

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**