

Issuing Date 02-Oct-2014

Revision date 27-May-2025

# **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Product identifier Product Name

Sure Klean® Weather Seal Blok-Guard & Graffiti Control WB 6

Other means of identification Product Code(s)

Recommended use of the chemical and restrictions on useRecommended useRestricted to professional users.Uses advised againstNo information available

40193

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200 800-535-5053

# 2. HAZARDS IDENTIFICATION

## **Classification**

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

## Label elements

**Emergency Overview** 

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance white

Physical state Liquid

Odor Slight

Hazards not otherwise classified (HNOC) Other information • Causes mild skin irritation No information available

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	60 - 100	*
Silicic acid, diethoxyoctylsilyl trimethylsilyl ester	216689-57-5	1 - 5	*
Triethoxyoctysilane	2943-75-1	1 - 5	*



\* The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

#### **Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin Contact	Wash off immediately with plenty of water. Remove contaminated clothing and shoes. If symptoms persist, call a physician.	
Inhalation	Remove to fresh air. Oxygen or artificial respiration if needed. If symptoms persist, call a physician.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Get medical attention.	
Most important symptoms and effects, both acute and delayed		
Symptoms	May cause irritation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures Personal precautions Avoid contact with eyes and skin. Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

## Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later
	disposal.

Methods for cleaning upDam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled<br/>containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE			
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.		
Conditions for safe storage, includi	ng any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.		
Incompatible materials	Strong oxidizing agents.		
8. EX	POSURE CONTROLS/PERSON	IAL PROTECTION	
Control parameters			
NIOSH IDLH Immediately Dangerous	to Life or Health		
Other information	Ethyl alcohol is formed upon contact with water or humid air. Provide adequate ventilation to control exposures withinguidelines of OSHA PEL (final rule): TWA 1000 ppm and ACGIH TLV: STEL 1000 ppm. Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).		
Appropriate engineering controls			
Engineering Controls	Ensure adequate ventilation, especially in confined areas.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin and body protection	Wear protective gloves and protective clothing.		
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
General Hygiene Considerations	Avoid breathing vapors or mists. Handle in accordance with good industrial hygiene and safety practice.		
9	. PHYSICAL AND CHEMICAL I	PROPERTIES	
Information on basic physical and c	chemical properties		
Physical state Appearance Color	Liquid white white	Odor Odor threshold	Slight No information available
Property pH Melting point / freezing point °F Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	Values $5.4$ $0 \ ^{\circ}C \ / \ 32 \ ^{\circ}F$ No information available> 100 \ ^{\circ}C \ / \ > \ 212 \ ^{\circ}FNo information availableNo information availableNo information available	Remarks • Method	

Upper flammability limit:

No information available

- Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties
- No information available No information available No information available 1.0 Soluble in water No information available Not Applicable

# **10. STABILITY AND REACTIVITY**

# Reactivity\_\_\_\_\_

No data available

### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

None known based on information supplied.

## Incompatible materials

Strong oxidizing agents.

## Hazardous decomposition products

Ethanol.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	May cause irritation
Inhalation	Avoid breathing vapors or mists.
Eye contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Ingestion	Do not taste or swallow.

## Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Water	> 90 mL/kg (Rat)		
7732-18-5			
Triethoxyoctysilane	= 10060 µL/kg (Rat)		
2943-75-1			

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

May cause irritation.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Numerical measures of toxicity	- Product Information

The following values are calculated based on chapter 3.1 of the GHS document .ATEmix (oral)113118 mg/kgATEmix (dermal)92288 mg/kg mg/l

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Triethoxyoctysilane 2943-75-1	-	0.055: 96 h Oncorhynchus mykiss mg/L LC50	-	-
		flow-through		

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

## Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

 Disposal of wastes
 Disposal should be in accordance with applicable regional, national and local laws and regulations.

 Contaminated packaging
 Do not reuse container.

# 14. TRANSPORT INFORMATION

DOT

Not Regulated for all modes of transportation.

## **15. REGULATORY INFORMATION**

# International Inventories **TSCA** DSL/NDSL

Complies Complies

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

California Proposition 65
Carcinogen
Carcinogen
Developmental

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Xylene 1330-20-7	Х	X	Х
Ethanol 64-17-5	Х	X	Х

# **16. OTHER INFORMATION**

<u>NFPA</u>	Health hazards 1	Flammability 1	Instability 0	Physical and chemical properties -
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection X
Prepared By	Regulatory Department			
Issuing Date	02-Oct-2014			
Revision date	27-May-2025			

# Revision Note

SDS sections updated 13 **Disclaimer** 

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet