



PROSOCO®

Protective treatments



Sure Klean®

MASONRY CLEANING PRODUCTS

You. Us. The project.

800 255 4255

PROSOCO.COM

Protective treatments

Water ruins expensive masonry

Durable and beautiful though it is, over time simple rainwater can visibly decay and stain unprotected concrete, brick and stone.

Rainwater soaks into masonry. It dissolves natural salts that recrystallize when the surface dries. The salts build up in the masonry pores from repeated wet/dry cycles. In cold weather, water freezes and expands inside the masonry pores. At first, the cracks and fractures from wet/dry and freeze/thaw cycles are microscopic. They don't stay that way.

Combined with other natural forces, such as extreme temperatures and biological growth, this progressive decay can turn an expensive masonry investment into an eyesore and liability.

Water subjects unprotected masonry to:

- Cracking, spalling and delamination
- Efflorescence
- Lime run
- Rust stains
- Damp walls
- Mold, moss and lichen growth
- Corrosion from acid rain
- Reduced thermal insulation



Stop water damage

Step 1: Protect the sheathing or CMU backup.

Before the first brick goes up on your new building, seal the sheathing with a breathable, durable, continuous air- and water-resistive barrier.

Step 2: Protect the masonry with a high-quality water repellent.

When water can't invade the masonry, sheathing or CMU backup, neither can any of the previously described problems. Protective treatments let the beauty and value of masonry investments endure.

Sure Klean Weather Seal penetrating water repellents provide an invisible, breathable shield against the water-related enemies of masonry. It's protection that lasts — in most cases, 10 to 15 years.

A high-quality water repellent on the masonry, combined with an effective air- and water-resistive barrier on the sheathing or CMU backup, is protection that defeats rain, snow, sleet and ice every time.

Water is not the only enemy

Stop oil, food, grease and other staining

From major commercial or civic paver installations to the intimacy of a family patio, Paver Kare products keep out water, weeds and dirt. They seal in beauty, durability and value.

Stand Off protective treatments control staining and deterioration of grout, ceramic tile, natural stone and architectural concrete.

Protected surfaces last longer and clean easier. These

high-quality, penetrating treatments chemically bond with the substrate for long-lasting protection. Surfaces keep their natural appearance. Unlike conventional repellents, Stand Off products won't blush or form traffic patterns.

Win the war against graffiti

Left alone, graffiti doesn't go away — it attracts more graffiti. When graffiti vandals hit Grant's Tomb in New York and the Vietnam Veterans' Memorial in Kansas City, Mo., experts understood rapid removal is the key to stopping graffiti. They used PROSOCO's Defacer Eraser products for quick removal.



Repair damaged masonry

Even when the damage is already done, it's not too late. Consolidation treatments repair and strengthen decayed concrete, brick and stone. They replace the masonry's natural binding material lost to weathering.

Conservare consolidation treatments have brought strength and durability back to some of America's most treasured architecture, including:

- U.S. Capitol
- Harvard's Memorial Hall
- City and County Building, Salt Lake City
- State capitols across the nation, and many more.

Protective treatments

masonry, stone and concrete

For decades, these remarkable treatments have helped control maintenance, repair and cleaning costs on masonry, concrete and natural stone. From roads and bridges to schools and skyscrapers, professionals choose the industry's leading silane and siloxane technologies to protect and extend the service life of our built environment.

Weather Seal Siloxane PD

For architectural and steel-reinforced concrete, GFRC, and most masonry and stucco surfaces

Breathable, water-based Siloxane PD (Predilute) penetrates deeply into masonry right out of the container. It bonds with the substrate to lock out water and the destructive salts and dirt water carries. Helps prevent spalling, cracking, staining, mold, mildew and other expensive problems.

Service life: 10+ years



Weather Seal Siloxane WB Concentrate

For architectural and steel-reinforced concrete, GFRC, and most masonry and stucco surfaces

Siloxane WB (water-based) Concentrate provides penetrating, breathable protection for dense or porous substrates. It's concentrated for economy, easy storage, transport and container disposal. Protects up to 4,000 square feet per gallon.

Service life: 10+ years

Weather Seal Natural Stone Treatment

For natural stone and clay brick

Specifically developed to protect limestone, marble and other calcareous surfaces, Natural Stone Treatment will not alter the natural appearance of stone. It WILL reduce mold, mildew and atmospheric staining, indoors and out.

Service life: 10+ years



Weather Seal Natural Stone Treatment Plus

For most clay masonry and unpolished stone

Weather Seal Natural Stone Treatment Plus shields valuable stone and other masonry from destructive water penetration. Natural Stone Treatment Plus is low-odor, has reduced flammability and is breathable and penetrating.

Service life: 10+ years

Weather Seal Blok-Guard & Graffiti Control

For concrete block and other porous masonry

Blok-Guard & Graffiti Control penetrates and fills pores, stopping water-related stains and graffiti penetration — graffiti practically slides off treated walls with application of Defacer Eraser Graffiti Wipe. Application is easy with brush, roller or low-pressure spray.

Service life: 5-7 years



Weather Seal Blok-Guard & Graffiti Control II

For concrete block, porous clay brick, precast concrete, porous stone and stucco

Blok-Guard & Graffiti Control II meets all VOC (volatile organic compound) regulations nationwide, from San Diego to New York. It won't change the treated surface's appearance – and it won't let anyone else change it either.

Service life: 5-7 years

Protective treatments

masonry, stone and concrete

Weather Seal Blok-Guard & Graffiti Control Ultra

For concrete block and other porous masonry

Blok-Guard & Graffiti Control Ultra takes the power and efficiency of a solvent-based silicone formula and makes it VOC-compliant. Use it anywhere in the country where graffiti and weather threaten masonry and concrete.

Service life: 10-12 years

Weather Seal H40

For porous and deteriorating stone, brick and most natural stone

This deep-penetrating, consolidating water repellent keeps water out of masonry, increases its mechanical and compressive strength and strengthens weathered surfaces and soft mortar joints. Ideal for masonry already damaged by water, wear and weathering, H40 helps masonry resist the attack of destructive mold, mildew and fungal growth.

Service life: 10-12 years

Weather Seal SL100 Water Repellent

For precast, steel-reinforced and form-finished concrete, GFRC and most natural stone

Weather Seal SL100 offers maximum penetration and superior performance on dense and color-sensitive surfaces. Offers invisible, breathable, solvent-free protection against water, salt and other contaminants. Coverage rates are 2 to 4 times that of conventional solvent-reduced water repellents.

Service life: 10-15 years



Sure Klean Weather Seal GP

For concrete, stucco and most masonry surfaces

Weather Seal GP is a general-purpose, economical, ready-to-use, water-based silane/siloxane water repellent. Breathable, low-odor and UV-stable, Weather Seal GP is ideal for most field applications.

Service life: 3-5 years

Stand Off SLX100 Water & Oil Repellent

For concrete, brick and stone

SLX100 Water & Oil Repellent provides top water, oil and stain repellency for nearly any concrete, masonry or stone surface. Great for color-sensitive and dense substrates, penetrating SLX100 keeps liquid from spilled food, drink, grease, oil and other contaminants on the surface for easy clean-up.

Service life: 3-5 years



Transmission fluid on paver

Stand Off SLX100 Water & Oil Repellent <350

For concrete, brick and stone

SLX100 Water & Oil Repellent <350 combines top water and oil repellency with VOC levels low enough for every U.S. state, including most of California. This long-lasting protective treatment for concrete, brick and stone won't let liquid from spilled food, drink, grease, or oil soak in and discolor expensive masonry.

Service life: 3-5 years



SLX 100 applied to the San Francisco bus terminal

Protective treatments

concrete, clay and stone paver hardscapes

From public squares and vast pedestrian malls to intimate patios in upscale residential neighborhoods, nothing says quality and value like a hand-laid paver hardscape. But that value drops with every tire mark, grease stain or other contaminant. Construction soiling, water penetration, de-icing salts and other problems can diminish the value of the most beautiful paver installations.

Keep those culprits at bay with Paver Kare cleaners and protective treatments from PROSOCO – created specifically for paver professionals by the makers of Sure Klean products.

Paver Kare Sand Joint Stabilizer

For concrete and brick pavers

Keep the sand in the paver joints and the weeds out with Sand Joint Stabilizer. This unique protective treatment consolidates paver joint sand to a mortar-like consistency. It holds sand in joints despite cleaning, weather and traffic. It guards pavers and joints against harmful water penetration.

Paver Kare Paver Enhancer

For concrete, clay and most stone pavers

Trade in efflorescence, mildew and traffic-related staining for richer, more uniform color on paver surfaces. Water beads up and runs off treated surfaces, yet there's no surface film to prevent breathability or create a slip hazard.

Sure Klean Weather Seal Color Enhancer WB

Water-based, color-enhancing protective treatment

Water-based Color Enhancer WB is perfect for places with restrictive VOC regulations. This protective treatment delivers rich color enhancement and breathable, penetrating water repellency on clay, concrete or stone pavers.

PROSOCO DuraSheen

For concrete, clay and most stone pavers

Glossy, slip-resistant DuraSheen is the perfect protective treatment for pavers inside or out. The lustrous yet chemical-resistant finish shields expensive pavers from the etch and stain of acidic and caustic chemicals, ranging from food and drink to powerful cleaners.

Paver Kare Deep Sheen WB

For concrete, clay and most stone pavers

Lustrous, chemical-resistant Deep Sheen WB still shields expensive pavers from the etch and stain of food, drink, cleaning agents and weather, while meeting all known volatile organic compound regulations from Maine to California.



Decorative paving treatments

Protective Treatments	Product
Sand stabilizer	Sand Joint Stabilizer
Penetrating water repellents	Saltguard WB SL100
Water & stain repellents	SLX100 STMP Limestone & Marble Protector
Gloss & color enhancers	Paver Enhancer Paver Enhancer WB DuraSheen Deep Sheen WB

Always test to ensure desired results and proper dilution where appropriate.

Protective treatments

dimensional stone and tile

The value of a stone, ceramic tile or architectural concrete surface drops with every ground-in bit of grease, grime, food, oil, smoke or other contaminant that besmudges it. Water penetration, and the resulting destructive freeze-thaw cycle, can also stain, crack or flake expensive masonry. You don't have to stand for that. Keep those enemies at bay with PROSOCO's Stand Off products. Let the beauty — and value — of your masonry endure.

Stand Off SLX100 Water & Oil Repellent

For granite, tiles, pavers and concrete

This penetrating treatment protects dense, color-sensitive surfaces from water, oil, food and drink. Breathable SLX100 won't change surface appearance. It lets vapor out without letting dirt and water in.

Stand Off SLX100 Water & Oil Repellent <350

For granite, tiles, pavers and concrete

SLX100 Water & Oil Repellent <350 combines effective water, oil and stain repellency with VOC levels low enough for every U.S. state, including most of California. Provides long-lasting protection against stains from spilled food, drink, grease, oil and other contaminants until they can be cleaned up.



Stand Off Stone, Tile & Masonry Protector (STMP)

For brick, tile, concrete and most natural stone

Easy-to-use, low-odor STMP stops stain attack indoors and out. From motor oil on concrete garage floors, to orange juice, ketchup or wine on expensive restaurant tile, breathable, penetrating STMP keeps it from soaking in.

Stand Off Limestone & Marble Protector

For most natural stone, brick, tile and concrete

Limestone & Marble Protector provides penetrating, breathable protection for limestone and marble (and most masonry) against water, oil and other destructive staining agents. Treated surfaces keep their natural appearance, color and texture.

Stand Off Gloss 'N Guard

For natural stone, tile, pavers and other masonry

Give natural stone tiles and pavers a deep lustrous finish while providing resistance against dirt, oil, scuff marks and more. Gloss 'N Guard protects and enhances vertical and horizontal surfaces indoors and out. The durable coating improves slip resistance on honed and polished surfaces. It also simplifies maintenance cleaning, since even oil and organic stains can't penetrate.



Stand Off Stain Barrier

For stone, quarry tile, concrete and masonry surfaces

Penetrating water, oil & stain repellent. This economical, easy-to-use protective treatment guards interior and exterior stone, quarry tile, concrete and masonry surfaces against oil, food and waterborne stains. Perfect for large concrete parking decks. Low-odor Stain Barrier complies with all known VOC regulations.

Sure Klean Weather Seal Gloss 'N Guard WB

For all masonry types

Highly durable water-based acrylic protective coating for tile, pavers, terrazzo and other polished and unpolished masonry — horizontal and vertical. Sure Klean Weather Seal Gloss 'N Guard WB creates a lasting protective shield of unparalleled beauty and durability. The water-based formula means no solvent odor, easy soap and water cleanup, and reduced fire hazard. Gloss 'N Guard WB complies with all known regulations limiting VOC content.

Seal Klean Weather Seal Color Enhancer WB

Water-based protective treatment for natural stone

Indoors or out, Sure Klean Weather Seal Color Enhancer WB protects valuable stone surfaces against spills and stains while enriching the stone's natural color. The water-based formula makes it compliant with VOC regulations from California to Maine. Color Enhancer WB is also great for clay and concrete pavers.

Protective treatments

concrete flatwork

Concrete has taken a pounding ever since the Romans introduced it 2,200 years ago. PROSOCO protective treatments help concrete flatwork stand up to the worst abrasion, traffic, spills and weather the world can muster. Harder, denser, glossier, more chemically resistant concrete means longer service life, easier maintenance and greater value.

Parking deck or factory floor, PROSOCO has the right protective treatments for your concrete flatwork project.

PROSOCO Saltguard

Deeply penetrating water & salt barrier for concrete

This breathable, deeply penetrating blend of silanes and siloxanes is the perfect answer to the corrosive salt air of coastal areas, and the destructive de-icing salts of winter weather everywhere. With a service life of 7-10 years, Saltguard is ideal for parking decks, driveways and sidewalks, as well as brick, concrete, tile and most natural stone pavers.

Consolideck Saltguard WB


For horizontal and vertical concrete and many other masonry surfaces

Get the long-lasting power of Saltguard in a water-based, VOC-compliant version. Breathable, penetrating Saltguard WB protects concrete from corrosive salt air or the damaging de-icing salts of winter.

PROSOCO SingleStep

Cure and seal for concrete

No more slow, costly water-curing or stripping chemical cures before sealing. Get it done in one fast and easy step. Roll, brush or spray SingleStep onto concrete, new or old. It gives concrete a durable, water-repellent gloss and keeps moisture in until the concrete is fully cured – then keeps destructive water and de-icing salts out.



Never go it alone. For problems or questions, contact your local PROSOCO distributor or field representative. Or call PROSOCO Customer Care toll-free at 800-255-4255.

New construction concrete/block	Protective treatments				
	Weather Seal Siloxane WB Concentrate	Blok-Guard & Graffiti Control II*	Sand Joint Stabilizer	Blok-Guard & Graffiti Control	
Lightweight	2	1		1	
Mediumweight	1	1		1	
Heavyweight	1	1		1	
Burnished/Ground-faced	1	2		1	
Pavers	2		1		

* Not suitable for horizontal, traffic-bearing or pedestrian surface. Always test to ensure desired results and proper dilution where appropriate.

Water-repellent

Graffiti-resistant

New construction concrete	Protective treatments				
	Weather Seal Siloxane WB Concentrate	Weather Seal Siloxane PD	SL100 Water Repellent	SLX100 Water & Oil Repellent	Blok-Guard & Graffiti Control II
Cast in place	Smooth	2	1	1	1
	Sandblast	2	1	1	1
	Textures	1	1	2	1
	Exposed aggregate	1	1	2	1
Precast	Smooth	2	1	1	1
	Sandblast	2	1	1	1
	Textures	1	1	1	1
	Exposed aggregate	1	1	2	1
Glass fiber-reinforced	Smooth	2	2	1	1
	Sandblast	2	2	1	1
	Textures	2	2	1	1

Water-repellent

Water- and oil-repellent

Graffiti-resistant

*Limestone or marble aggregate/matrix: protect with Natural Stone Treatment or Limestone & Marble Protector.

1-First Choice • 2-Second Choice • 3-Third Choice • E-Color Enhancing
Always test to ensure desired results and proper dilution where appropriate.

Protective treatments

masonry and stone consolidation

Since the 1980s, conservators have used PROSOCO's Conservare treatments to save much of North America's most spectacular and valued architecture from decay and loss. New York's Trinity Church, the U.S. Capitol, Indianapolis' Soldiers and Sailors Monument and countless other projects have gotten new leases on life, thanks to the stone-strengthening characteristics of these remarkable products.

Conservare HCT (Hydroxylating Conversion Treatment)

For marble, travertine, limestone and other carbonate stones

Used as a pre-treatment to consolidation, Conservare HCT forms a well-adhered conversion layer on the surface of carbonate grains. The conversion layer reduces the vulnerability of marble and limestone to acid rain and weathering, and makes the surface responsive to surface-strengthening and protective treatments.



Conservare OH100 Consolidation Treatment

For most types of natural stone, concrete, stucco, brick and terra cotta

Conservare OH100 stabilizes decaying masonry by using silicone dioxide to replace natural binding materials lost to weathering. This replacement binder is also mineral — very similar to the stone it strengthens. Acid rain-resistant, Conservare OH100 penetrates deeply, doesn't form surface crusts, and lets the treated surface breathe. It's also an effective pre-treatment to strengthen crumbling substrates to allow cleaning, patching or coating.

Conservare H100 Consolidation Treatment

For most types of natural stone, concrete, stucco, brick and terra cotta

This breathable, deep-penetrating consolidation treatment strengthens deteriorated masonry while increasing its resistance to further decay — including acid rain. Conservare H100 replaces the natural cement decayed stone has lost to weathering. The tough, new silicon dioxide binder is virtually identical to that of natural stone.



Tile & stone care products	Stone, Tile & Masonry Protector (STMP)	Limestone & Marble Protector	SLX100 Water & Oil Repellent	Weather Seal Siloxane WB Concentrate	Color Enhancer WB
Ceramic (glazed)	2	3	1		
Ceramic (unglazed)	2	3	1	1	E
Clay pavers	1	3	1	1	E
Concrete pavers	1	2	2	1	E
Field stone	1	2	2		E
Granite (polished)	1	2		1	
Granite (unpolished)	1		2	1	E
Grout	1	1	2	1	E
Limestone (polished)	2	1	1		
Limestone (unpolished)	1	1	2		E
Marble (polished)	1	1	2		
Marble (unpolished)	1	1	2		E
Porcelain (polished)	2		1		
Porcelain (unpolished)	2		1	1	
Saltillo (terra cotta)	1	2	3	1	E
Sandstone	1	1	2	1	E
Slate (polished)			1		
Slate (unpolished)	2	3	1	1	E

Water- and oil-repellent | Water-repellent

1-First Choice • 2-Second Choice • 3-Third Choice • E-Color-Enhancing

Always test to ensure desired results and proper dilution where appropriate.

Protective treatments

graffiti prevention

Nothing stops graffiti in its tracks like preventing it from happening in the first place. But choose your weapons well — harsh chemicals or abrasives can permanently damage your masonry investment.

PROSOCO's Sure Klean Weather Seal Blok-Guard & Graffiti Control graffiti protection line has the right product for you. These products won't change the natural appearance of your masonry — and they won't let anyone else change it either.

Blok-Guard & Graffiti Control

For concrete block and other porous masonry

Rain and graffiti sink right into exterior concrete block and other porous masonry — but NOT when Sure Klean Weather Seal Blok-Guard & Graffiti Control is on the job. It penetrates and fills pores, stopping water penetration while letting the masonry breathe. Treated surfaces resist graffiti penetration. Application is easy with a low-pressure spray, brush or roller.



Blok-Guard & Graffiti Control II

For concrete block, porous clay brick, precast concrete, porous stone and stucco

Breathable Sure Klean Weather Seal Blok-Guard & Graffiti Control II penetrates porous masonry and concrete to keep destructive water and unsightly graffiti from soaking in. The difference? Blok-Guard & Graffiti Control II meets all VOC regulations nationwide from San Diego to New York. Like the original, it won't change the treated surface's appearance — and it won't let anyone else change it either.

Blok-Guard & Graffiti Control Ultra

For concrete block and other porous masonry

Sure Klean Weather Seal Blok-Guard & Graffiti Control Ultra takes the power and efficiency of a solvent-based silicone formula and makes it VOC-compliant. Use it anywhere in the country, including California, where graffiti and weathering threaten masonry and concrete. This protective treatment keeps graffiti from soaking in, aiding fast removal. It keeps water from soaking in, too, preventing moisture-related damage.

Blok-Guard & Graffiti Control 15

For concrete block and other porous masonry

High-performing Sure Klean Weather Seal Blok-Guard & Graffiti Control 15 is a clear, solvent-based silicone elastomer formulated to weatherproof concrete block and other porous masonry. It contains more solids to treat more porous surfaces. This treatment protects masonry surfaces from repeated graffiti attacks with little to no change to the natural appearance.

Blok-Guard & Graffiti Control Ultra 15

For concrete block and other porous masonry

Sure Klean Weather Seal Blok-Guard & Graffiti Control Ultra 15 is a <100 g/L water and graffiti repellent that protects masonry surfaces from graffiti attacks while leaving little to no change to the substrate's natural appearance. VOC-compliant everywhere in the U.S. and formulated with higher solids to treat more porous surfaces, it penetrates and fills pores to prevent water penetration through exterior walls exposed to normal weathering.

Blok-Guard & Graffiti Control VOC

For concrete block and other porous masonry

Sure Klean Weather Seal Blok-Guard & Graffiti Control VOC contains a VOC-compliant solvent that qualifies it for use anywhere in the U.S. except California. This protective treatment keeps graffiti from soaking in, aiding fast removal. It keeps water from soaking in, too, preventing moisture-related damage.

Never go it alone. For problems or questions, contact your local PROSOCO distributor or field representative. Or call PROSOCO Customer Care toll-free at 800-255-4255.



Restoration protection

Restoration protective treatments	Weather Seal Siloxane WB Concentrate					Weather Seal Siloxane PD			Natural Stone Treatment WB Plus			Weather Seal SL100			Weather Seal H40			Limestone & Marble Protector			Stone, Tile & Masonry Protector			SLX100 Water & Oil Repellent			Blok-Guard & Graffiti Control*						
	Water-repellent					Water- & oil-repellent			Graffiti-resistant																								
Brick	1	1	2	2	S	2	3	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2					
Unglazed terra cotta	2	2		1	S		2	1										2	2	2	2	2	2	2	2	1							
Unglazed tile	2			1			2	1									2	2	2	2	2	2	2	2	1								
Bluestone	2	2	2	1	S	2	1	1									1	1	1	1	1	1	1	1	2								
Cast stone	1	1	2	1	S	1	1	2									2	2	2	2	2	2	2	2	1								
Field stone			1		S	1	1	2									1	1	1	1	1	1	1	1	2								
Granite (polished)				1			2	1																									
Granite (unpolished)				1			2	2	1																		1						
Limestone (polished)							1																										
Limestone (unpolished)			1		S	1	1									1	1	1	1	1	1	1	1	1	2								
Marble (polished)							1																										
Marble (unpolished)			1		S	1	1									1	1	1	1	1	1	1	1	1	2								
Sandstone	1	1	2	1	S	2	2	1								1	1	1	1	1	1	1	1	1	2								
Simulated stone	2	2	1	1	S	2	1	1								1	1	1	1	1	1	1	1	1	2								
Slate	2	2		1		2	1	1																		1							
Cast concrete	1	1	2	1		2	1	1								1	1	1	1	1	1	1	1	1	2								
Concrete block	1					1	2									1	1	1	1	1	1	1	1	1	2								
Exposed aggregate	2	2	2	1	S	2	1	1								1	1	1	1	1	1	1	1	1	2								
Precast concrete	2	1	2	1		2	1	1								1	1	1	1	1	1	1	1	1	2								

L-Light soiling H-Heavy soiling 1-First choice S-Surface-strengthening
M-Moderate soiling D-Deep-seated stains 2-Second choice

Always test to ensure desired results and proper dilution where appropriate.
* Not for horizontal surfaces

New brick & stone protection

New brick construction	Weather Seal Siloxane WB Concentrate	Weather Seal Siloxane PD	Weather Seal SL100	Deep Sheen WB	Paver Enhancer/Gloss 'N Guard	Stone, Tile & Masonry Protector (STMP)	SLX100 Water & Oil Repellent	Blok-Guard & Graffiti Control II
	Water-repellent			Water- & oil-repellent			Graffiti-resistant	
Fired clay brick - Red	1	1	2	E	E	1	1	1
Light-colored	1	1	2	E	E	1	1	1
Chocolate/brown/gray	1	1	2	E	E	1	1	1
Pavers				E	1	1	1	
Glazed			1				1	
Pigmented mortar	1	1	2	E	E	1	1	1
Sand lime brick	1	1	2	E	E	1	1	1
Slurry face	1	1	2			1	1	1
Structural tile	1	2	1			1	1	1
Ceramic tile			1			2	1	

- 1 - First choice
- 2 - Second choice
- 3 - Third choice
- E - Color-enhancing

If brick is prone to staining from metallic oxidation, use Vana Trol.

Always test to ensure desired results and proper dilution where appropriate.

New stone construction	Weather Seal Siloxane WB Concentrate	Weather Seal Siloxane PD	Natural Stone Treatment	Natural Stone Treatment WB Plus	Weather Seal SL100	Saltguard WB	Deep Sheen WB	Paver Enhancer	Limestone & Marble Protector	Stone, Tile & Masonry Protector	SLX100 Water & Oil Repellent	Blok-Guard & Graffiti Control II
	Water-repellent			Water- & oil-repellent			Graffiti-resistant					
Bluestone	1	2	1	1	1	2	E	E	1	1	2	1
Cast stone	1	1	2	2	1	3	E	E	1	1	2	1
Field stone			1	1			E	E	1	1		1
Granite (polished)					1					2	1	
Granite (unpolished)			2	2	1		E			1	1	
Limestone (polished)									1	2	2	
Limestone (unpolished)			1	1			E	E	1	1	3	2
Marble (polished)									1	2	2	
Marble (unpolished)			1	1			E	E	1	1	2	2
Sandstone	1	1	1	1	2	2	E	E	1	1	2	1
Simulated stone	1	1	2	2	3			E	1	1	2	1
Slate					1		E		2	1	1	

- 1 - First choice
- 2 - Second choice
- 3 - Third choice
- E - Color-enhancing

Also see Stand Off Tile, Paver & Stone Care products.

If surface is prone to staining from metallic oxidation, use Vana Trol.

Always test to ensure desired results and proper dilution where appropriate.

Water repellents

Vertical water repellents

Product	Generic description	% active content	Recommended surfaces	Service life	Average aesthetic change
Siloxane PD	Silane/siloxane	7%	Precast concrete, GFRC, architectural concrete, brick, stucco	10-15 years	None
Siloxane WB Concentrate	Silane/siloxane	100% (undiluted)	Architectural concrete, concrete block, clay brick, non-calcareous natural stone, stucco	10-15 years	None
SL100	Silane	98%	Precast concrete, brick, non-calcareous natural stone and cast stone	10-15 years	None
Natural Stone Treatment	Modified silane	11%	Clay brick, limestone, natural stone	10-15 years	Slight darkening
Natural Stone Treatment WB Plus	Modified siloxane	15%	Unpolished, natural stone	5-10 years	Little to none
H40	Ethyl silicate/silane	23%	Brick, porous or deteriorating stone, most natural stone	10-15 years	Slight darkening
Blok-Guard and Graffiti Control	RTV-silicone blend	9%	Precast concrete, concrete block, clay brick, porous stone, stucco	5-10 years	Slight darkening
Blok-Guard and Graffiti Control II	Silicone emulsion	6%	Precast concrete, concrete block, clay brick, porous stone, stucco	5-10 years	None
Blok-Guard and Graffiti Control Ultra	RTV-silicone blend	9%	Precast concrete, concrete block, clay brick, porous stone, stucco	5-10 years	Slight darkening
Blok-Guard and Graffiti Control 15	RTV-silicone blend	15%	Precast concrete, concrete block, clay brick, porous stone, stucco	5-10 years	Slight darkening possible
Blok-Guard and Graffiti Control Ultra 15	RTV-silicone blend	15%	Precast concrete, concrete block, clay brick, porous stone, stucco	5-10 years	Slight darkening possible
Blok-Guard and Graffiti Control VOC	RTV-silicone blend	9%	Precast concrete, concrete block, clay brick, porous stone, stucco	5-10 years	Slight darkening

Horizontal water repellents

Product	Generic description	% active content	Recommended surfaces	Service life	Average aesthetic change
Saltguard WB	Silane/siloxane	10%	Steel-reinforced concrete, concrete paving, clay pavers, non-calcareous natural stone	10-15 years	None
Siloxane WB Concentrate	Silane/siloxane	100% (undiluted)	Steel-reinforced concrete, concrete paving, clay pavers, non-calcareous natural stone	10-15 years	None
SL100	Silane	98%	Steel-reinforced concrete, concrete paving, clay pavers, non-calcareous natural stone	10-15 years	None
DuraSheen	Polymer blend	30%	Decorative concrete, concrete paving	3-5 years	Enhancement/gloss
Gloss 'N Guard	Modified acrylic	19%	Clay pavers, architectural concrete pavers, natural stone	3-5 years	Enhancement/gloss
Gloss 'N Guard WB	Waterborne acrylic	30%	Clay pavers, architectural concrete pavers, natural stone	3-5 years	Enhancement/gloss
Sand Joint Stabilizer	Polymer blend	18%	Concrete pavers, clay pavers, natural stone pavers	3-5 years	Enhancement
Paver Enhancer	Modified siloxane	25%	Clay pavers, architectural concrete pavers, natural stone	3-5 years	Enhancement
DuraSheen	Polymer blend	30%	Concrete pavers, clay pavers, natural stone pavers	3-5 years	Enhancement/gloss
Deep Sheen WB	Polymer blend	20%	Concrete pavers, clay pavers, natural stone pavers	3-5 years	Enhancement/gloss
Color Enhancer WB	Siloxane	5%	Concrete pavers, clay pavers, natural stone pavers	3-5 years	Enhancement
GuardEXT	RTV-silicone blend	15%	Concrete	5 years	Enhancement/gloss
SLX 100	Modified silane	93%	Steel reinforced concrete, concrete paving, clay pavers, non-calcareous natural stone	10-15 years	None
SLX100 <350	Modified silane	93%	Steel reinforced concrete, concrete paving, clay pavers, non-calcareous natural stone	10-15 years	None

Always test to ensure desired results and proper dilution where appropriate.

PROTECTIVE TREATMENTS

You don't get to choose where the jobs are.

So we come to you. Our nationwide network of field reps and technical advisers from coast to coast are at the ready to help solve your biggest problems, your smallest problems and everything in between.



PROSOCO

3741 Greenway Circle • Lawrence, KS 66046
800 255 4255 • prosoco.com