# SAFETY DATA SHEET PROSOCO, Inc.



Issue Date 12-Nov-2014 Revision Date 12-Nov-2014 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Sure Klean® Weather Seal Blok-Guard® & Graffiti Control Ultra

Other means of identification

Product Code 40293 UN/ID No UN1866

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

**8:00 AM – 5:00 PM CST Monday-Friday** 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

# 2. HAZARDS IDENTIFICATION

# Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 3

### Label elements

# **Emergency Overview**

# Warning

### Hazard statements

Causes skin irritation

Causes serious eye irritation

May cause respiratory irritation. May cause drowsiness or dizziness

Flammable liquid and vapor



Appearance clear Physical state Liquid Odor Petroleum

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/ .? /equipment Use only non-sparking tools
Take precautionary measures against static discharge

### **Precautionary Statements - Response**

Keep cool

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

In case of fire: Use CO2, dry chemical, or foam for extinction

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Acetic acid vapors form as by-product following hydrolysis reaction with water or humid air.

### Other Information

· May be harmful in contact with skin

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
p-Chlorobenzotrifloride	98-56-6	60 - 100	*
Polydimethyl siloxane diol	70131-67-8	5 - 10	*
Naphtha (petroleum), hydrotreated heavy	64742-48-9	1 - 5	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### First aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin Contact**Wash off immediately with plenty of water while removing contaminated clothing and shoes.

If skin irritation persists, call a physician.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician. If breathing is irregular or

stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give

mouth-to-mouth resuscitation.

Ingestion Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Clean mouth with water and

drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Call a physician.

Self-protection of the first aider Remove all sources of ignition. Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

**Symptoms** Causes eye and skin irritation. May be harmful in contact with skin.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient. Do not use a solid water

stream as it may scatter and spread fire.

# Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation, especially in confined areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges. Use

personal protective equipment as required.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Take precautionary measures against static discharges. Ground and bond

containers when transferring material. Use only non-sparking tools.

### 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks,

flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be

grounded. Use personal protective equipment as required. Do not breathe

dust/fume/gas/mist/vapors/spray.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled

containers. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot

lights, electric motors and static electricity).

**Incompatible materials** Incompatible with oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
p-Chlorobenzotrifloride 98-56-6	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F TWA: 2.5 mg/m <sup>3</sup> dust	-
		(vacated) TWA: 2.5 mg/m <sup>3</sup>	
Naphtha (petroleum), hydrotreated heavy 64742-48-9	100 ppm	500 ppm	-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations

Ventilation systems. Ground/bond container and receiving equipment.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

**ASTM D 3278** 

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Liquid
Appearance clear

Appearance clear Odor Petroleum

ColorColorlessOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not Applicable
Melting point/freezing point < -30 °C / -22 °F

**Boiling point/boiling range**No information available

Flash point

No information available
38 °C / 100 °F

Flash point 38 °C / 100 °F
Evaporation rate No information available

Flammability (solid, gas)

No information available

Flammability Limits in Air

Upper flammability limits
Lower flammability limit
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 1.308 Water solubility negligible

No information available Solubility in other solvents **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** Not an explosive **Oxidizing properties** Not Applicable

10. STABILITY AND REACTIVITY

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

# **Graffiti Control Ultra**

### Conditions to avoid

Heat, flames and sparks.

### Incompatible materials

Incompatible with oxidizing agents.

### **Hazardous Decomposition Products**

silicon dioxide. Carbon monoxide. Carbon dioxide (CO2). Hazardous combustion products.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** Causes serious eye irritation Causes skin irritation May be harmful in contact with skin

Inhalation Avoid breathing vapors or mists.

Eye contact Avoid contact with eyes. Causes serious eye irritation.

**Skin Contact** Avoid contact with skin. May be harmful in contact with skin. Causes skin irritation.

Do not taste or swallow. Ingestion

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
p-Chlorobenzotrifloride	= 13 g/kg (Rat)	> 2 mL/kg (Rabbit)	= 33 mg/L (Rat) 4 h
98-56-6			
Naphtha (petroleum), hydrotreated heavy	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	-
64742-48-9			

# Information on toxicological effects

Causes eye and skin irritation. May be harmful in contact with skin. **Symptoms** 

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. Germ cell mutagenicity No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. No information available. **Aspiration hazard** 

### Numerical measures of toxicity - Product Information

### **Unknown Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 8672 mg/kg ATEmix (dermal) 2223 mg/kg mg/l

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

# 40293 Sure Klean® Weather Seal Blok-Guard® & Graffiti Control Ultra

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
p-Chlorobenzotrifloride 98-56-6	-	11.5 - 15.8: 48 h Lepomis macrochirus mg/L LC50 static	-	3.68: 48 h Daphnia magna mg/L EC50
Naphtha (petroleum), hydrotreated heavy 64742-48-9	-	2200: 96 h Pimephales promelas mg/L LC50	-	2.6: 96 h Chaetogammarus marinus mg/L LC50

# Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient	
p-Chlorobenzotrifloride 98-56-6	3.7	

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated (If shipped in NON BULK packaging by ground transport)

UN/ID No UN1866
Proper shipping name Resin Solution

Hazard Class 3
Packing Group III

IATA

UN/ID No UN1866
Proper shipping name Resin Solution

Hazard Class 3
Packing Group III

**IMDG** 

UN/ID No UN1866

Proper shipping name

Resin Solution

Hazard Class 3
Packing Group III

### 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
p-Chlorobenzotrifloride	X	-	X
98-56-6			

# 16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 2 Instability 0 Physical and Chemical

Properties -

**HMIS** Health hazards 2\* Flammability 2 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

Issue Date12-Nov-2014Revision Date12-Nov-2014

Revision Note

No information available

**Disclaimer** 

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**